FEDERAL EMERGENCY MANAGEMENT AGENCY

VOLUME 3 OF 5



MONTEREY COUNTY, CALIFORNIA AND INCORPORATED AREAS

COMMUNITY NAME	COMMUNITY NUMBER
CARMEL-BY-THE-SEA, CITY OF	060196
DEL REY OAKS, CITY OF	060197
GONZALES, CITY OF	060198
GREENFIELD, CITY OF	060446
KING CITY, CITY OF	060199
MARINA, CITY OF	060727
MONTEREY, CITY OF	060200
MONTEREY COUNTY, UNINCORPORATED AREAS	060195
PACIFIC GROVE, CITY OF	060201
SALINAS, CITY OF	060202
SAND CITY, CITY OF	060435
SEASIDE, CITY OF	060203
SOLEDAD, CITY OF	060204





REVISED:

June 21, 2017

FLOOD INSURANCE STUDY NUMBER 06053CV003B

Version Number 2.3.2.1

TABLE OF CONTENTS Volume 1

SECT	ON 1.0 – INTRODUCTION	1
1.1	The National Flood Insurance Program	1
1.2	Purpose of this Flood Insurance Study Report	2 2
1.3	Jurisdictions Included in the Flood Insurance Study Project	2
1.4	Considerations for using this Flood Insurance Study Report	10
SECT	ON 2.0 – FLOODPLAIN MANAGEMENT APPLICATIONS	23
2.1	Floodplain Boundaries	23
2.2	Floodways	31
2.3	Base Flood Elevations	32
	Non-Encroachment Zones	32
2.5	Coastal Flood Hazard Areas	33
-	2.5.1 Water Elevations and the Effects of Waves	33
	2.5.2 Floodplain Boundaries and BFEs for Coastal Areas	34
	2.5.3 Coastal High Hazard Areas	35
	2.5.4 Limit of Moderate Wave Action	36
SECT	ON 3.0 – INSURANCE APPLICATIONS	36
3.1	National Flood Insurance Program Insurance Zones	36
3.2	Coastal Barrier Resources System	30
5.2	Coastal Damer Resources System	57
SECT	ON 4.0 – AREA STUDIED	37
4.1	Basin Description	37
4.2	Principal Flood Problems	38
4.3	Non-Levee Flood Protection Measures	56
4.4	Levees	60
SECT	ON 5.0 – ENGINEERING METHODS	63
5.1	Hydrologic Analyses	63
5.1		

<u>Figures</u>

<u>Page</u>

<u>Page</u>

Figure 1: FIRM Panel Index	13
Figure 2: FIRM Notes to Users	16
Figure 3: Map Legend for FIRM	19
Figure 4: Floodway Schematic	31
Figure 5: Wave Runup Transect Schematic	34
Figure 6: Coastal Transect Schematic	36
Figure 7: Frequency Discharge-Drainage Area Curves	70

Volume 1, Continued Tables

ii

2 Table 1: Listing of NFIP Jurisdictions Table 2: Flooding Sources Included in this FIS Report 24 Table 3: Flood Zone Designations by Community 37 Table 4: Coastal Barrier Resources System Information 37 **Table 5: Basin Characteristics** 38 Table 6: Principal Flood Problems 38 Table 7: Historic Flooding Elevations 56 Table 8: Non-Levee Flood Protection Measures 56 Table 9: Levees 61 Table 10: Summary of Discharges 64 Table 11: Summary of Non-Coastal Stillwater Elevations 71

Volume 2

Table 12: Stream Gage Information used to Determine Discharges

5.2	Hydraulic Analyses	73
5.3	Coastal Analysis	105
	5.3.1 Total Stillwater Elevations	105
	5.3.2 Waves	107
	5.3.3 Coastal Erosion	107
	5.3.4 Wave Hazard Analyses	107
5.4	Alluvial Fan Analyses	124
SEC	TION 6.0 – MAPPING METHODS	125
6.1	Vertical and Horizontal Control	125
~ ~		107

6.2	Base Map	127
6.3	Floodplain and Floodway Delineation	127

Figures

Page

Page

Figure 8: 1% Annual Chance Total Stillwater Elevations for Coastal Areas	106
Figure 9: Transect Location Map	121

<u>Tables</u>

Table 13: Summary of Hydrologic and Hydraulic Analyses	74
Table 14: Roughness Coefficients	105
Table 15: Summary of Coastal Analyses	105
Table 16: Tide Gage Analysis Specifics	107
Table 17: Coastal Transect Parameters	109

Page

72

Page

Volume 2, Continued Tables

Table 18: Summary of Alluvial Fan Analyses	124
Table 19: Results of Alluvial Fan Analyses	124
Table 20: Countywide Vertical Datum Conversion	125
Table 21: Stream-Based Vertical Datum Conversion	126
Table 22: Base Map Data	127
Table 23: Summary of Topographic Elevation Data used in Mapping	128

Volume 3

<u>Page</u>

6.4	Coast	al Flood Hazard Mapping	170
6.5	FIRM	Revisions	174
	6.5.1	Letters of Map Amendment	174
		Letters of Map Revision Based on Fill	175
	6.5.3	Letters of Map Revision	175
	6.5.4	Physical Map Revisions	175
	6.5.5	Contracted Restudies	176
	6.5.6	Community Map History	176
SECT	ION 7.0	- CONTRACTED STUDIES AND COMMUNITY COORDINATION	178
7.1	Contra	acted Studies	178
7.2	Comm	nunity Meetings	179
SECT	ION 8.0	- ADDITIONAL INFORMATION	182
SECT	ION 9.0	- BIBLIOGRAPHY AND REFERENCES	183

<u>Tables</u>

<u>Page</u>

Table 24: Floodway Data	130
Table 25: Flood Hazard and Non-Encroachment Data for Selected Streams	170
Table 26: Summary of Coastal Transect Mapping Considerations	171
Table 27: Incorporated Letters of Map Change	175
Table 28: Community Map History	177
Table 29: Summary of Contracted Studies Included in this FIS Report	178
Table 30: Community Meetings	180
Table 31: Map Repositories	182
Table 32: Additional Information	183
Table 33: Bibliography and References	184

Volume 3, Continued Exhibits

Flood Profiles	<u>Panel</u>
Arroyo Seco	01-08 P
Calera Creek	09-12 P
Canyon Del Rey	13-18 P
Carmel River	19-34 P
Carmel River Garland Ranch Overbank	35 P
Carmel River Hacienda Carmel Overbank	36 P

Volume 4

<u>Exhibits</u>

Flood Profiles	Panel
Carmel River North Highway 1 Overbank	37-38 P
Carmel River Schulte Overbank	39 P
Carmel River South Highway 1 Overbank	40-41 P
Castroville Boulevard Wash	42-44 P
Corncob Canyon Creek	45 P
East Branch Gonzales Slough	46 P
El Toro Creek	47-50 P
Elkhorn Slough	51-54 P
Gabilan Creek	55-60 P
Gonzales Slough	61-64 P
Harper Creek	65-69 P
Josselyn Canyon Creek	70 P
Natividad Creek	71-72 P
Pajaro River	73-85 P
Pajaro River – Without Consideration of	86-94 P
Levee	
Pine Canyon Creek	95-98 P
Reclamation Ditch	99-109 P
Salinas River	110-122 P
Salinas River Overbank	123-124 P

Volume 5 Exhibits

Flood Profiles Panel San Benancio Gulch 125-139 P San Lorenzo Creek 140-142 P San Miguel Canyon Creek 143-146 P Santa Rita Creek 147-150 P Tembladero Slough 151-152 P 153 P Thomasello Creek Watson Creek 154-162 P

Published Separately

Flood Insurance Rate Map (FIRM)

LOCA	ATION		FLOODWAY	,	1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/ SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
А	89,355	625	3,390	11.1	486.8	486.8	486.8	0.0
B	90,512	355	3,070	12.2	493.8	493.8	493.8	0.0
C	91.721	400	4,450	8.4	501.8	501.8	501.8	0.0
D	92,537	525	3,220	11.7	503.3	503.3	503.3	0.0
F	94,015	315	2,780	13.5	509.8	509.8	510.2	0.4
E F	95,735	335	3,290	11.4	518.3	518.3	518.4	0.1
G	97,197	835	3,660	10.3	526.1	526.1	526.1	0.0
Ĥ	98,528	280	2,580	14.6	535.0	535.0	535.0	0.0
1	99,878	810	3,750	10.0	541.8	541.8	541.8	0.0
J	102,287	655	3,680	10.0	554.2	554.2	554.3	0.1
ĸ	103,437	855	3,990	9.2	560.6	560.6	560.6	0.0
Ĺ	104,364	630	3,300	11.1	567.1	567.1	567.2	0.1
M	105,784	665	4,480	8.2	573.7	573.7	573.7	0.0
N	107,194	690	4,510	8.1	579.0	579.0	579.0	0.0
0	109,504	435	3,200	9.0	593.0	593.0	593.0	0.0
P	110,674	845	4,620	6.2	596.8	596.8	596.8	0.0
Q	112,013	525	3,170	9.1	600.5	600.5	600.5	0.0
R	113,009	280	2,070	13.9	608.6	608.6	608.6	0.0
S	114,269	370	2,250	12.8	619.5	619.5	619.5	0.0
Т	115,096	280	2,070	13.9	624.8	624.8	624.9	0.1
U	117,027	275	2,250	12.8	632.8	632.8	633.2	0.4
V	118,150	295	2,440	11.8	640.8	640.8	640.8	0.0
eet above con	fluence with Salin	as River						

Table 24: Floodway Data

FEDERAL	MANAGEMENT	AGENCY

TABLE 24

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODWAY DATA

FLOODING SOURCE: ARROYO SECO

LOCA	TION		FLOODWAY			AL CHANCE FLC ELEVATION (FE		RFACE
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
W X Y Z AA AB AC AD AE AF AG AH AI AJ AK AL	120,107 121,537 122,347 124,277 125,562 126,999 128,569 130,682 131,684 133,812 134,822 136,516 137,356 139,465 140,922 140,996	220 205 235 200 205 290 385 255 235 320 170 265 495 265 190 180	2,480 2,420 1,870 1,774 2,240 3,010 2,970 2,260 1,830 3,210 1,590 2,290 3,050 2,100 1,930 2,130	11.6 11.9 15.3 16.7 12.8 9.3 9.4 12.4 15.3 8.7 17.6 12.2 9.2 13.3 14.5 13.1	652.1 660.2 664.3 677.7 686.6 696.9 704.6 716.6 723.3 735.9 742.5 753.5 758.9 776.1 786.9 788.7	652.1 660.2 664.3 677.7 686.6 696.9 704.6 716.6 723.3 735.9 742.5 753.5 758.9 776.1 786.9 788.7	652.1 660.2 664.3 677.7 686.6 696.9 704.6 716.6 723.3 735.9 742.5 753.5 758.9 776.1 786.9 788.7	$\begin{array}{c} 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0$
FEDERAL E	FEDERAL EMERGENCY MANAGEMENT AGENCY				FL	.OODWAY [ΟΑΤΑ	
	MONTEREY COUNTY, CALIFORN						RROYO SECO	<u>ן</u>

LOCA	TION		FLOODWAY	,		AL CHANCE FLO ELEVATION (FE	DOD WATER SU ET NAVD88)	RFACE
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
А	467	147	464	3.8	240.4	240.4	240.4	0.0
В	871	56	210	8.4	246.8	246.8	246.8	0.0
C	1,021	95	409	4.3	250.1	250.1	250.1	0.0
D	1,640	78	330	5.4	256.1	256.1	256.1	0.0
E	3,304	87	355	5.0	282.1	282.1	282.1	0.0
F	4,373	46	311	5.7	296.9	296.9	297.2	0.3
G	4,560	107	399	4.4	300.8	300.8	300.8	0.0
Ĥ	4,894	92	328	5.4	301.6	301.6	301.9	0.3
I	5,743	119	441	4.0	309.2	309.2	309.6	0.4
J	6,784	75	266	6.7	316.1	316.1	316.8	0.7
K	6,842	97	314	5.6	317.4	317.4	317.5	0.1
L	7,300	72	202	8.8	318.8	318.8	318.9	0.1
М	7,382	90	432	4.1	323.1	323.1	232.1	0.0
Ν	7,733	126	523	3.4	328.9	328.9	329.0	0.1
0	8,017	98	223	7.2	328.9	328.9	328.9	0.0
Р	9,146	65	181	8.9	335.9	335.9	335.9	0.0
Q	9,408	101	204	7.9	341.3	341.3	341.4	0.1
R	10,237	30	134	12.0	347.8	347.8	347.8	0.0
S	10,395	213	885	1.8	351.2	351.2	351.2	0.0
Т	10,893	77	275	5.8	351.4	351.4	351.5	0.1
U	11,765	73	316	5.1	357.4	357.4	357.4	0.0
V	11,999	48	154	10.2	358.0	358.0	357.9	0.1
¹ Feet above cor	fluence with EI To	oro Creek						
		-			FL	OODWAY I	DATA	
	REY COUNT	•	ORNIA		FLOODING	SOURCE: C	ALERA CRFF	К
Α	ND INCORPORA	TED AREAS						

LOCA			FLOODWAY		1% ANNU	AL CHANCE FLO ELEVATION (FE	DOD WATER SU EET NAVD88)	RFACE		
CROSS SECTION	DISTANCE1	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE		
W	12,423	41	173	9.0	362.1	362.1	362.1	0.0		
X	12,423	24	164	9.5	364.6	364.6	364.6	0.0		
Ŷ	12,510	24 44	302	9.5 5.2	367.6	367.6	367.6	0.0		
Z	12,784	33	279	5.6	368.7	368.7	368.7	0.0		
AA	13,454	33 70	377	4.2	372:8	372.8	372.8	0.0		
AA AB	13,454	26	145	10.8	372.8	372.8	372.8	0.0		
AC	13,816	101	243	6.5	372.8	372.8	378.3	0.0		
AD	14,966	61	168	9.3	383.8	383.8	383.9	0.0		
AE	15,537	114	248	6.3	388.8	388.8	389.0	0.1		
AF	15,940	55	248	5.8	392.5	392.5	392.5	0.2		
AG	16,178	39	104	8.1	394.1 ²	393.8 ²	393.8	0.0		
AH	16,970	35	146	5.8	401.2 ²	400.5 ²	400.5	0.0		
AI	17,221	32	121	7.0	406.5 ²	405.7 ²	405.7	0.0		
AJ	17,373	27	110	2.2	409.7 ²	408.4 ²	408.4	0.0		
AS	17,991	56	85	2.2	409.7 415.4 ²	400.4 414.0 ²	408.4	0.0		
AL	18,351	114	138	4.4	416.4 ²	414.0^{2}	416.2	0.0		
AM	18,582	87	207	4.6	418.2	418.2	418.6	0.0		
AN	20,645	110	320	3.0	437.5	437.5	435.2	0.4		
AO	20,684	72	217	4.4	438.4	438.4	438.6	0.2		
AP	21,098	193	327	2.0	441.8	441.8	441.9	0.1		
ÂQ	21,149	136	263	3.7	442.3	442.3	442.3	0.0		
AR	22,662	33	207	4.7	457.9	457.9	457.9	0.0		
AS	23,025	50	145	6.7	459.7	459.7	459.7	0.0		
AT	23,655	41	178	5.4	468.6	468.6	468.6	0.0		
	fluence with El To									
² Reduced floodv										
	ay algoridiyo									
FEDERAL E	MERGENCY MA	NAGEMENT	AGENCY							
MONTE		Y. CALIF		FLOODWAY DATA						
		·		FLOODING SOURCE: CALERA CREEK						

LOCA	ΓΙΟΝ		FLOODWAY		1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
AU AV	23,594 23,655	40 41	149 178	6.5 5.4	467.1 468.6	467.1 468.6	467.1 468.6	0.0 0.0	
MONTER		NAGEMENT Y, CALIF				OODWAY		ĸ	

LOCAT	ION		FLOODWAY		1% ANNU	AL CHANCE FLO ELEVATION (FE	OOD WATER SU EET NAVD88)	RFACE
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A B C D E F G H – J K L M N O P Q R S T U V W	$\begin{array}{c} 1,450^1\\ 2,244^1\\ 2,729^1\\ 3,379^1\\ 4,024^1\\ 4,591^1\\ 5,139^1\\ 5,524^1\\ 6,703^1\\ 7,353^1\\ 7,903^1\\ 8,513^1\\ 9,353^1\\ 9,923^1\\ 10,703^1\\ 12,923^1\\ 13,523^1\\ 14,663^1\\ 15,228^1\\ 16,283^1\\ 340^2\\ 1,135^2\\ 1,895^2\end{array}$	$\begin{array}{c} 1,170\\ 60\\ 474\\ 346\\ 80\\ 50\\ 50\\ 55\\ 135\\ 16\\ 50\\ 24\\ 16\\ 50\\ 24\\ 16\\ 346\\ 346\\ 346\\ 36\\ 40\\ 24\\ 19\\ 23\\ 16\end{array}$	$\begin{array}{c} 12,870 \\ 460 \\ 3,601 \\ 2,702 \\ 543 \\ 311 \\ 305 \\ 580 \\ 812 \\ 61 \\ 115 \\ 172 \\ 62 \\ 208 \\ 141 \\ 1,372 \\ 2,702 \\ 308 \\ 201 \\ 68 \\ 37 \\ 58 \\ 42 \end{array}$	$\begin{array}{c} 0.1 \\ 1.3 \\ 0.2 \\ 0.2 \\ 1.1 \\ 2.0 \\ 2.0 \\ 1.0 \\ 1.2 \\ 11.2 \\ 10.4 \\ 4.0 \\ 11.1 \\ 3.8 \\ 5.8 \\ 0.5 \\ 0.2 \\ 2.2 \\ 1.8 \\ 5.4 \\ 8.0 \\ 5.1 \\ 7.0 \end{array}$	$\begin{array}{c} 16.0\\ 16.6\\ 16.6\\ 16.6\\ 16.6\\ 16.6\\ 28.3\\ 31.6\\ 40.4\\ 50.4\\ 61.7\\ 75.2\\ 81.6\\ 86.1\\ 99.6\\ 99.6\\ 110.5\\ 110.7\\ 116.0\\ 236.0\\ 242.9\\ 251.9\\ \end{array}$	$\begin{array}{c} 16.0\\ 16.6\\ 16.6\\ 16.6\\ 16.6\\ 16.6\\ 28.3\\ 31.6\\ 40.4\\ 50.4\\ 61.7\\ 75.2\\ 81.6\\ 86.1\\ 99.6\\ 99.6\\ 110.5\\ 110.7\\ 116.0\\ 236.0\\ 242.9\\ 251.9\\ \end{array}$	$\begin{array}{c} 16.0\\ 16.6\\ 16.6\\ 16.7\\ 16.7\\ 16.7\\ 16.8\\ 29.3\\ 32.6\\ 40.4\\ 50.5\\ 61.7\\ 75.2\\ 82.5\\ 86.5\\ 100.0\\ 100.0\\ 100.0\\ 111.3\\ 111.5\\ 116.0\\ 236.0\\ 242.9\\ 251.9\\ \end{array}$	$\begin{array}{c} 0.0\\ 0.0\\ 0.0\\ 0.1\\ 0.1\\ 0.1\\ 0.2\\ 1.0\\ 1.0\\ 1.0\\ 0.0\\ 0.1\\ 0.0\\ 0.1\\ 0.0\\ 0.1\\ 0.0\\ 0.0$
¹ Feet above confli ² Feet above Blue		erey Bay						
	FEDERAL EMERGENCY MANAGEMENT AGENCY MONTEREY COUNTY, CALIFORNIA				FL	OODWAY	DATA	
	LEY COUNI		UKNIA		FLOODING	SOURCE: CA	NYON DEL R	EY

LOCAT	ION		FLOODWAY			AL CHANCE FLO ELEVATION (FE	DOD WATER SU ET NAVD88)	RFACE
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
X Y Z AA AB AC AD AE AF AG AH AI ¹ Feet above Blue	2,585 ¹ 3,480 ¹ 4,690 ¹ 5,445 ¹ 6,195 ¹ 7,275 ¹ 7,935 ¹ 8,865 ¹ 9,780 ¹ 10,780 ¹ 11,941 ¹ 12,941 ¹ 12,941 ¹	18 70 48 263 108 64 75 13 56 43 260 255	52 864 388 1,999 763 148 570 73 491 81 1,873 1,735	5.7 1.8 1.2 0.3 0.7 3.3 0.3 1.8 0.7 3.8 0.2 0.2	259.9 297.7 297.9 317.4 317.4 324.6 346.5 348.9 365.0 368.3 390.3 390.3	259.9 297.7 297.9 317.4 317.4 324.6 346.5 348.9 365.0 368.3 390.3 390.3	259.9 298.7 298.9 318.4 318.4 324.6 347.5 348.9 365.0 368.3 391.3 391.3	0.0 1.0 1.0 1.0 0.0 1.0 0.0 0.0 0.0 1.0 1
FEDERAL I	EMERGENCY N	IANAGEMEN	T AGENCY		EI	OODWAY		
MONTE		TY, CALI	FORNIA					
А			S	FLOODING SOURCE: CANYON DEL REY				

LOCA	ΓΙΟΝ		FLOODWAY		1% ANNU	AL CHANCE FLC ELEVATION (FE	DOD WATER SU ET NAVD88)	RFACE		
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE		
А	10,140	510	4,090	5.6	39.4	39.2	39.7	0.5		
B	10,501	551	4,548	5.0	39.4	39.2 39.7	40.6	0.9		
C	12,343	1,520	7,459	3.0	42.4	42.4	43.3	0.9		
D	13,373	910	4,812	4.7	44.1	44.1	45.0	0.9		
E	13,978	852	4,406	5.2	46.0	46.0	46.5	0.5		
F	14,613	1,090	6,382	3.6	40.0	47.0	40.5	0.9		
G	15,070	827	4,471	5.1	48.3	48.3	47.5	0.3		
Н	15,740	600	3,787	6.0	49.3	49.3	50.0	0.3		
11	16,921	445	2,394	7.6	53.3	53.3	54.2	0.9		
J	17,117	445	3,034	6.0	55.1	55.1	55.6	0.9		
K	18,531	430 227	2,870	6.3	58.1	58.1	58.9	0.5		
L	20,107	742	5,250	4.3	61.6	61.6	62.5	0.8		
M	20,107	620	3,927	4.3 5.3	63.7	63.7	64.4	0.9		
N	20,989	700	4,184	5.0	64.3	64.3	65.3	1.0		
O	21,330	250	3,101	6.7	67.9	67.9	68.9	1.0		
P				6.2	72.2	72.2	72.8			
P Q	23,764 24,520	240 290	3,364 3,472	6.0	72.2	72.2 74.5	72.8	0.6 0.3		
R		290 573		7.0	74.5	74.5 76.7	74.8	0.3		
S	25,396 26,240	373 380	3,001 3,231	6.5	78.7	78.7	70.8	1.0		
T T	20,240 27,993	380 410		4.0	83.2	83.2	84.0	0.8		
U	27,993 29,401	410 170	5,257	4.0	85.8	85.8	86.2	0.8		
V		355	2,719	5.3	87.4	87.4	88.4			
Ŵ	30,087	355 308	3,971	5.3	101.8	87.4 101.8	101.8	1.0		
	35,444 35,747		4,029					0.0		
X ¹ Feet above conf	,	442 fic Ocean	5,100	4.1	102.5	102.5	102.4	0.0		
	EMERGENCY N				FL	OODWAY	DATA			
	MONTEREY COUNTY, CALIFORNIA							-R		
	AND INCORPORATED AREAS				FLOODING SOURCE: CARMEL RIVER					

LOCA	TION		FLOODWAY		1% ANNU	AL CHANCE FLC ELEVATION (FE		RFACE
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
		100			1011		1010	
Y	37,100	428	4,341	4.8	104.4	104.4	104.8	0.4
Z	38,494	130	1,942	10.8	110.4	110.4	110.3	0.0
AA	40,243	170	2,824	7.4	117.3	117.3	117.4	0.1
AB	40,967	250	3,671	5.7	118.8	118.8	119.0	0.2
AC	42,352	197	2,419	8.6	122.9	122.9	122.9	0.0
AD	43,052	235	2,733	7.1	125.3	125.3	125.8	0.5
AE	44,103	189	2,502	7.8	128.7	128.7	129.0	0.3
AF	45,140	160	2,176	8.9	132.2	132.2	132.3	0.1
AG	46,225	185	2,484	7.8	136.1	136.1	136.2	0.1
AH	47,602	268	3,041	6.4	141.0	141.0	141.3	0.3
AI	48,650	225	2,685	7.2	145.2	145.2	145.3	0.1
AJ	49,362	191	2,719	7.1	148.1	148.1	148.4	0.3
AK	51,120	259	2,625	7.4	152.8	152.8	152.8	0.0
AL	52,141	248	2,489	7.8	157.6	157.6	157.6	0.0
AM	52,851	295	3,205	6.1	159.5	159.5	160.3	0.8
AN	53,918	300	2,998	6.5	166.3	166.3	167.3	1.0
AO	54,566	168	2,169	8.9	168.2	168.2	169.2	1.0
AP	55,645	368	3,840	5.1	171.5	171.5	172.3	0.8
AQ	56,605	417	2,811	6.9	175.1	175.1	175.4	0.3
AR	57,242	512	3,661	5.3	179.8	179.8	180.4	0.6
AS	60,555	198	2,059	9.4	193.8	193.8	193.8	0.0
AT	61,943	278	3,395	5.7	203.3	203.3	203.8	0.5
AU	62,633	233	2,545	7.6	205.6	205.6	205.9	0.3
AV	64,412	600	4,045	4.8	212.9	212.9	213.9	1.0

¹Feet above confluence with Pacific Ocean

TABLE

24

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODING SOURCE: CARMEL RIVER

LOCA	TION		FLOODWAY		1% ANNU	AL CHANCE FLC ELEVATION (FE		RFACE
CROSS SECTION	DISTANCE1	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
	05 404	540	0.474	5.0	010.0	010.0	047.0	1.0
AW	65,101	513	3,471	5.6	216.9	216.9	217.9	1.0
AX	66,155	353	2,802	6.9	221.6	221.6	222.6	1.0
AY	66,848	316	2,164	8.2	225.8	225.8	225.8	0.0
AZ	67,552	886	3,495	5.1	230.8	230.8	231.5	0.7
BA	68,259	213	1,846	9.6	233.2	233.2	233.5	0.3
BB	68,598	221	2,294	7.7	235.7	235.7	236.6	0.9
BC	69,296	263	2,787	6.4	239.9	239.9	240.4	0.5
BD	70,643	503	2,698	6.6	247.1	247.1	247.5	0.4
BE	71,554	463	3,384	5.2	252.0	252.0	253.0	1.0
BF	72,441	429	3,142	5.6	257.6	257.6	258.0	0.4
BG	73,853	491	2,904	6.1	264.3	264.3	265.3	1.0
BH	74,559	276	2,178	8.1	268.9	268.9	269.1	0.2
BI	75,273	493	3,098	5.7	272.3	272.3	273.3	1.0
BJ	76,281	419	2,746	6.5	279.6	279.6	280.0	0.4
BK	77,010	191	1,872	9.5	284.7	284.7	285.7	1.0
BL	77,128	225	2,538	6.9	286.8	286.8	287.8	1.0
BM	77,912	309	2,740	6.2	290.8	290.8	291.3	0.5
BN	78,151	436	3,592	4.7	291.7	291.7	292.6	0.9
BO	79,246	391	2,834	6.0	298.3	298.3	298.4	0.1
BP	80,500	210	2,602	6.5	309.3	309.3	310.2	0.9
BQ	81,216	130	1,843	9.2	312.8	312.8	313.3	0.5
BR	81,541	126	1,701	9.9	314.2	314.2	315.2	1.0
BS	82,596	129	1,802	9.4	321.7	321.7	321.9	0.2
BT	82,935	235	2,588	6.5	324.5	324.5	324.5	0.0

¹Feet above confluence with Pacific Ocean

TABLE

24

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODING SOURCE: CARMEL RIVER

	LOCA	ΓΙΟΝ		FLOODWAY			AL CHANCE FLC ELEVATION (FE		RFACE
	CROSS SECTION	DISTANCE1	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
	BU BV BW BX BY BZ CA CB CC CD CE CF CG CH CI CJ CK	84,207 84,389 85,997 86,447 87,827 90,305 91,638 92,573 93,448 94,504 95,896 96,919 97,531 98,050 98,154 99,060 99,763	170 147 401 362 430 259 123 388 165 207 114 117 299 152 158 140 133	1,573 1,911 2,475 1,987 2,511 1,898 1,118 2,666 1,332 1,800 1,235 1,200 2,097 2,295 1,902 1,557 1,190	10.7 8.8 4.9 6.1 4.8 6.4 10.8 4.5 9.1 6.7 9.8 10.1 5.8 5.3 6.4 7.8 10.2	332.3 336.2 344.3 347.4 359.0 379.2 389.1 397.3 406.3 415.1 427.0 435.8 443.0 449.8 458.1 463.6 469.7	$\begin{array}{c} 332.3\\ 336.2\\ 344.3\\ 347.4\\ 359.0\\ 379.2\\ 389.1\\ 397.3\\ 406.3\\ 415.1\\ 427.0\\ 435.8\\ 443.0\\ 449.8\\ 458.1\\ 463.6\\ 469.7\\ \end{array}$	332.7 336.2 344.9 347.8 359.1 379.2 389.1 397.3 406.3 415.1 427.0 435.8 443.0 449.8 458.1 463.6 469.7	$\begin{array}{c} 0.4\\ 0.0\\ 0.6\\ 0.4\\ 0.1\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0$
	FEDERAL	EMERGENCY M	IANAGEMEN	T AGENCY		FL	OODWAY	DATA	
<u>-</u> 1)		REY COUN				FLOODIN	G SOURCE: (ER

LOCA	LOCATION FLOODWAY				ELEVATION (FEET NAVD88)					
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE		
A B C	828 1,020 2,596	140 183 203	961 943 742	4.7 4.8 6.1	54.8 55.4 58.2	54.8 55.4 58.2	55.8 56.2 59.2	1.0 0.8 1.0		
FEDERAL MONTE	EMERGENCY M	ianagemen [.] TY, CALII	T AGENCY FORNIA	FLOO	FL DDING SOURCE	OODWAY	IVER HACIEN	DA CARMEL		

CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	ELEVATION (FE WITHOUT FLOODWAY	WITH FLOODWAY	INCREAS
•	8,298	15	19	6.6	10.4	10.4	10.4	0.0
A			19	7.8		15.1	15.1	0.0
В	9,148	10			15.1			
С	9,280	25	23	5.4	16.9	16.9	17.6	0.7
D E F	9,486	15	24	5.2	19.4	19.4	19.4	0.0
E	9,836	20	59	2.1	25.4	25.4	25.4	0.0
	10,856	15	31	4.0	25.5	25.5	26.0	0.5
G	11,078	30	123	1.0	29.1	29.1	30.0	0.9
Н	11,698	15	20	6.3	31.3	31.3	31.8	0.5
I	11,960	25	61	2.0	37.6	37.6	37.6	0.0
J	12,200	15	34	3.7	40.1	40.1	40.1	0.0
K	12,665	20	63	2.0	45.0	45.0	45.4	0.4
L	12,805	20	89	1.4	46.9	46.9	47.5	0.6
М	13,041	40	178	0.7	48.6	48.6	49.1	0.5
Ν	13,592	25	54	2.3	49.7	49.7	50.4	0.7
0	13,796	35	147	0.9	54.3	54.3	54.5	0.2
Р	14,496	25	47	2.7	56.9	56.9	57.8	0.9
Q	14,746	30	125	1.0	61.7	61.7	62.3	0.6
R	15,146	15	41	3.0	61.7	61.7	62.4	0.7
S	15,499	15	24	5.2	63.5	63.5	64.2	0.7
S T	15,745	15	39	3.2	65.7	65.7	66.6	0.9
U	16,077	15	46	2.7	67.8	67.8	68.7	0.9
V	16,589	15	38	3.3	72.1	72.1	72.7	0.6
	16,939	15	34	3.7	75.0	75.0	75.9	0.9

TABLE 24

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODING SOURCE: CASTROVILLE BOULEVARD WASH

CROSS SECTION	LOCATION FLOODWA CROSS DIGTANIOF1 WIDTH SECTION					ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)			
	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
X Y Z AA AB AC AD AE AF ¹ Feet above conf	17,116 17,288 17,414 18,114 18,248 18,382 19,628 18,767 18,927	20 25 40 45 20 15 20 30 10	73 99 147 143 32 44 54 93 30	1.7 1.3 0.9 0.9 3.9 2.8 2.3 1.3 4.2	78.3 79.5 79.8 79.9 81.6 82.8 84.2 84.4 84.7	78.3 79.5 79.8 79.9 81.6 82.8 84.2 84.4 84.7	78.4 79.6 80.6 80.7 81.7 83.0 84.7 85.4 85.6	0.1 0.8 0.8 0.1 0.2 0.5 1.0 0.9	
FEDERAL	EMERGENCY N	IANAGEMEN	T AGENCY		EI				
				EL O					
	Z AA AB AC AD AE AF ¹ Feet above conf FEDERAL MONTE	Z 17,414 AA 18,114 AB 18,248 AC 18,382 AD 19,628 AE 18,767 AF 18,927 ¹ Feet above confluence with More FEDERAL EMERGENCY M MONTEREY COUN	Z 17,414 40 AA 18,114 45 AB 18,248 20 AC 18,382 15 AD 19,628 20 AE 18,767 30 AF 18,927 10 ***********************************	Z 17,414 40 147 AA 18,114 45 143 AB 18,248 20 32 AC 18,382 15 44 AD 19,628 20 54 AE 18,767 30 93 AF 18,927 10 30	Z 17,414 40 147 0.9 AA 18,114 45 143 0.9 AB 18,248 20 32 3.9 AC 19,382 15 44 2.8 AD 19,628 20 54 2.3 AE 18,767 30 93 1.3 AF 18,927 10 30 4.2 Image: Application of the state o	Z 17,414 40 147 0.9 79.8 AA 18,114 45 143 0.9 79.9 AB 18,248 20 32 3.9 81.6 AC 18,382 15 44 2.8 82.8 AD 19,628 20 54 2.3 84.2 AE 18,767 30 93 1.3 84.4 AF 18,927 10 30 4.2 84.7	Z 17,414 40 147 0.9 79.8 79.8 AA 18,114 45 143 0.9 79.9 79.9 AB 18,248 20 32 3.9 81.6 81.6 AC 18,382 15 44 2.8 82.8 82.8 82.8 AD 19,628 20 54 2.3 84.2 84.2 AE 18,767 30 93 1.3 84.4 84.4 AF 18,927 10 30 4.2 84.7 84.7 Image: Solution of the state of	Z 17,414 40 147 0.9 79.8 79.8 79.8 80.6 AA 18,114 45 143 0.9 79.9 79.9 80.7 AB 18,248 20 3.9 81.6 81.6 81.7 AC 18,382 15 44 2.8 82.8 82.8 83.0 AD 19,628 20 54 2.3 84.2 84.2 84.7 AE 18,767 30 93 1.3 84.4 85.4 AF 18,927 10 30 4.2 84.7 84.7 85.6 Image: Solution of the state of the	

	LOCAT	ION		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W (FEET NA		ELEVATION	
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	A B C D E F G H I J K L M N		-	849 638 267 1,162 604 803 372 1,297 656 708 732 15 27 16 16	1.7 2.2 6.0 1.3 2.3 1.7 3.9 0.1 0.2 0.2 6.1 6.5 3.5 5.8	$\begin{array}{c} 8.7\\ 8.7\\ 8.9\\ 20.6\\ 20.8\\ 25.9\\ 26.3\\ 28.3\\ 28.3\\ 28.3\\ 28.3\\ 39.3\\ 54.2\\ 65.6\end{array}$	7.9^{2} 7.9^{2} 8.9 20.6 20.8 25.9 26.3 28.3 28.3 28.3 28.3 39.3 54.2 65.6	$\begin{array}{c} 8.0^2\\ 8.7^2\\ 9.9\\ 21.6\\ 20.8\\ 26.1\\ 27.0\\ 29.2\\ 29.2\\ 29.2\\ 29.2\\ 39.3\\ 54.2\\ 65.6\end{array}$	0.1 0.8 1.0 1.0 0.0 0.2 0.7 0.9 0.9 0.9 0.9 0.9 0.0 0.0 0.0 0.0	
TABLE	FEDERAL E	MERGENCY MA	NAGEMENT	AGENCY	FLOODWAY DATA					
31 F 24		MONTEREY COUNTY, CALIFORNIA AND INCORPORATED AREAS				FLOODING SOURCE: CORNCOB CANYON CREEK				

	LOCAT	ION		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W	ATER SURFACE	ELEVATION
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
	A B	498 859	25 30	70 50	2.8 3.9	144.9 147.4	144.9 147.4	144.9 147.4	0.0 0.0
	15								
	¹ Feet above conflue	ence with Gonza	ies Siougn						
TABLE						FLO	ODWAY D	ATA	
LE 24		EY COUNT	-	JKNIA	FLOOD		EAST BRANC	H GONZALES	SLOUGH

LOCA	ΓΙΟΝ		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W FEET NA	/ATER SURFACE AVD88)	ELEVATION
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A B C D F G H I J K L M N	3,080 4,898 6,528 8,208 9,768 11,438 13,318 14,968 17,058 18,988 20,888 22,205 22,674 22,906	99 78 91 106 91 101 59 72 61 67 53 185 148 144	447 298 420 463 421 359 228 389 436 442 267 476 506 450	4.5 6.7 4.8 4.3 4.8 5.6 8.8 5.1 4.6 4.5 7.1 4.5 4.3 4.8	63.8 78.1 94.0 108.4 120.4 129.7 149.4 164.3 178.3 190.9 206.0 226.2 231.3 234.7	63.8 78.1 94.0 108.4 120.4 129.7 149.4 164.3 178.3 190.9 206.0 226.2 231.3 234.7	63.9 78.1 94.1 108.4 120.4 130.2 149.4 164.4 179.0 191.9 206.0 226.3 231.3 234.7	0.1 0.0 0.1 0.0 0.5 0.0 0.1 0.7 1.0 0.0 0.1 0.0 0.0
					FLO	ODWAY D	ΑΤΑ	
	REY COUNT	•	JKNIA	FLOODING SOURCE: EL TORO CREEK				

	LOCAT	ΓΙΟΝ		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W (FEET NA	ATER SURFACE	ELEVATION
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
	А В С D Ш F G H – Ј K Ј Z O P Q R Ø F J > Y	700 2,640 5,803 8,171 10,902 13,794 16,581 19,470 21,973 25,058 27,785 30,779 32,388 34,292 35,797 37,897 39,119 40,875 42,255 43,064 44,592 45,697 47,492	407 661 711 1,407 697 898 582 885 565 764 354 358 290 508 519 441 476 251 167 282 300 313 426	5,724 5,302 5,748 13,117 4,913 5,015 3,960 4,732 2,763 2,496 1,391 1,410 1,316 3,711 3,698 3,647 2,628 1.174 574 879 754 1,508 1,153	$\begin{array}{c} 0.2\\ 0.2\\ 0.2\\ 0.1\\ 0.3\\ 0.3\\ 0.3\\ 0.3\\ 0.5\\ 0.6\\ 1.2\\ 1.2\\ 1.3\\ 0.6\\ 0.6\\ 1.5\\ 2.5\\ 1.7\\ 2.3\\ 0.9\\ 1.5\\ \end{array}$	$\begin{array}{c} 7.6\\ 7.6\\ 7.6\\ 7.6\\ 7.6\\ 7.6\\ 7.6\\ 7.6\\$	5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.3^{2} 5.3^{2} 5.4^{2} 5.6^{2} 5.7^{2} 7.9^{2} 7.9^{2} 7.9^{2} 7.9^{2} 8.1^{2} 8.4^{2} 11.1 14.7 14.8	5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.2^{2} 5.3^{2} 5.4^{2} 5.7^{2} 5.8^{2} 8.4^{2} 8.5^{2} 8.5^{2} 8.6^{2} 8.7^{2} 9.2^{2} 11.4 14.8 15.0	$\begin{array}{c} 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0$
	¹ Feet above conflu ² Elevation compute			l effects from Pa	cific Ocean				
TABLE			_			FLO	ODWAY D	ATA	
_E 24		REY COUNT	•	JKNIA		FLOODING SC	DURCE: ELKH		1

ELEVAIL	ATER SURFACE	FEET NA	1% ANNUAL CH	FLOODWAY			ΓΙΟΝ	LOCA
INCREAS	WITH FLOODWAY	WITHOUT FLOODWAY	REGULATORY	MEAN VELOCITY (FEET/SEC)	SECTION AREA (SQ. FEET)	WIDTH (FEET)	DISTANCE ¹	CROSS SECTION
0.0	19.1	10.1	10.1	1.6	1 004	204	49.450	×
0.0 0.6	22.8	19.1 22.2	19.1 22.2	1.6 2.5	1,004 722	294 237	48,452 49,911	X Y
0.6	22.8	25.8	25.8	4.7	387	237 11.0	49,911 51,696	Z
0.7	26.5 31.5	25.8 30.6	25.8 30.6	4.7	420	174	51,696	AA
0.9	36.7	36.1	36.1	5.3	420 295	50	53,930	AA AB
0.8	42.6	42.3	42.3	5.3 6.6	313	250	56,205	AC
0.3	42.0 50.8	42.3 50.8	42.3 50.8	6.1	207	250 46	57,854	AC
0.0	54.4	54.4	50.8 54.4	5.9	213	39	58,887	AE
0.0	63.1	63.1	63.1	5.6	213	42	60,983	AE
0.0	67.8	67.2	67.2	10.2	148	34	62,967	AG
0.0	76.5	76.2	76.2	8.3	219	74	65,752	AG
0.9	82.5	81.6	81.6	5.5	272	45	67,386	AI
0.3	90.0	89.7	89.7	6.2	237	50	69,670	AJ
0.6	97.4	96.8	96.8	5.3	226	45	71,721	AK
0.0	105.1	105.0	105.0	7.0	171	39	73,372	AL
0.0	110.5	110.5	110.5	7.9	145	44	74,849	AM
0.9	118.3	117.4	117.4	4.5	256	57	76,029	AN
0.3	132.6	132.3	132.3	4.0	249	81	77,983	AO
0.2	139.7	139.5	139.5	3.2	321	188	79,233	AP
0.2	147.4	147.2	147.2	7.5	53	24	80,177	AQ
0.0	156.4	156.4	156.4	5.4	74	25	81,222	AR
0.0	174.0	174.0	174.0	7.5	54	23	82,738	AS

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

TABLE 24

AND INCORPORATED AREAS

FLOODING SOURCE: ELKHORN SLOUGH

LOCA			FLOODWAY		1% ANNUAL CH	ANCE FLOOD W (FEET NA	ATER SURFACE	ELEVATION
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
_								
A	4,492	884	5,929	0.3	52.9	52.9	53.8	0.9
В	5,429	414	1,345	1.5	52.9	52.9	53.9	1.0
С	6,586	124	358	5.6	55.8	55.8	56.4	0.6
D	7,440	110	310	6.8	58.1	58.1	58.3	0.2
E	7,632	50	266	7.5	58.3	58.3	58.4	0.1
F	8,426	62	338	5.9	60.3	60.3	60.8	0.5
G	9,816	58	308	6.5	67.7	67.7	68.1	0.4
Н	10,389	72	413	4.8	71.7	71.7	72.3	0.6
I	10,739	64	235	8.5	79.9	79.9	80.1	0.2
J	12,439	288	594	3.4	90.6	90.6	91.2	0.6
K	13,191	44	230	8.7	93.4	93.4	93.9	0.5
L	13,989	58	359	5.6	96.9	96.9	97.4	0.5
М	15,563	145	668	3.0	107.5	107.5	108.5	1.0
Ν	16,795	159	429	4.7	113.8	113.8	113.9	0.1
0	17,433	72	480	4.2	119.6	119.6	119.7	0.1
Р	18,735	53	183	10.9	122.5	122.5	122.5	0.0
Q	19,688	51	220	9.1	127.7	127.7	127.7	0.0
R	20,763	58	262	7.6	136.1	136.1	136.1	0.0
S	21,609	39	196	10.2	140.3	140.3	140.3	0.0
Т	22,447	106	365	5.5	144.7	144.7	144.9	0.2
U	23,348	88	251	8.0	149.9	149.9	149.9	0.0
V	24,750	244	486	4.1	159.5	159.5	159.6	0.1
Ŵ	25,682	203	537	3.7	162.3	162.3	162.9	0.6
Х	26,432	308	421	4.7	166.6	166.6	166.6	0.0

¹Feet above confluence with Reclamation Ditch

TABLE

24 4 FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODING SOURCE: GABILAN CREEK

	LOCAT	TION		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W (FEET NA		FACE ELEVATION	
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	Y Z AA AB AC	27,762 28,452 29,555 30,404 31.681	1,170 336 235 118 54	390 433 364 273 332	5.1 4.6 5.5 7.3 6.0	172.1 176.4 183.1 186.5 194.9	172.1 176.4 183.1 186.5 194.9	172.2 176.5 183.1 186.5 194.9	0.1 0.0 0.0 0.0 0.0	
	¹ Feet above conflu	ience with Reclar	nation Ditch							
TABLE	FEDERAL EMERGENCY MANAGEMENT AGENCY MONTEREY COUNTY, CALIFORNIA					FLO	ODWAY D	ATA		
_E 24		ND INCORPORA		JKNIA		FLOODING S	SOURCE: GAE	BILAN CREEK		

LOCAT	ION		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W (FEET NA	/ATER SURFACE AVD88)	ELEVATION		
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREAS		
A B C D E F G H I J K L M N O P Q	2,559 2,678 3,714 3,823 4,025 4,266 4,554 4,684 4,926 5,057 6,178 6,412 7,325 7,551 8,753 10,109 10,290	25 140 145 85 35 100 70 65 65 90 105 105 184 210 85 55 60	40 1,770 1,760 380 40 1,220 850 300 670 880 800 1,220 1,900 1,760 400 200 330	2.7 0.2 0.2 0.6 5.9 0.2 0.3 1.0 0.4 0.4 0.4 0.4 0.4 0.4 0.2 0.2 0.2 0.9 1.9 1.2	136.1 136.2 136.2 136.6 138.0 138.0 138.0 138.0 138.0 140.7 140.7 141.6 141.7 145.1	136.1 136.2 136.2 136.6 138.0 138.0 138.0 138.0 140.7 140.7 141.6 141.7 145.1 145.1	136.9 137.1 137.1 137.1 137.1 138.4 138.4 138.4 138.4 138.4 138.4 140.9 140.9 140.9 141.8 141.8 145.1 145.2	$\begin{array}{c} 0.8\\ 0.9\\ 0.9\\ 0.9\\ 0.5\\ 0.4\\ 0.4\\ 0.4\\ 0.4\\ 0.4\\ 0.4\\ 0.2\\ 0.2\\ 0.2\\ 0.2\\ 0.2\\ 0.1\\ 0.0\\ 0.1\\ \end{array}$		
				FLOODWAY DATA						
	MONTEREY COUNTY, CALIFORNIA AND INCORPORATED AREAS				FLOODING SOURCE: GONZALES SLOUGH					

LOCA	ΓΙΟΝ		FLOODWAY		1% ANNUAL CH	ANCE FLOOD W (FEET NA	/ATER SURFACE AVD88)	ELEVATION	
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
A B C D E F G H I J K L M N O P	456 1,020 1,222 1,500 1,946 2,247 2,561 3,240 3,493 4,101 4,657 5,053 5,603 6,029 6,247 6,382	16 40 35 27 14 12 25 36 22 28 25 18 14 31 13	61 36 199 55 25 23 42 44 72 53 77 35 24 22 28 22	3.2 5.5 1.1 3.9 7.7 8.1 4.4 3.9 2.4 3.2 2.2 4.4 6.6 7.2 5.5 7.3	386.5 402.4 414.8 421.3 434.3 444.9 458.1 480.6 490.3 517.4 538.2 552.1 573.5 589.0 600.2 604.9	386.5 402.4 414.8 421.3 434.3 444.9 458.1 480.6 490.3 517.4 538.2 552.1 573.5 589.0 600.2 604.9	386.6 402.4 415.1 421.6 434.3 444.9 458.9 480.7 490.4 517.7 538.3 552.5 573.7 589.0 600.2 604.9	$\begin{array}{c} 0.1\\ 0.0\\ 0.3\\ 0.3\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.1\\ 0.1\\ 0.1\\ 0.3\\ 0.1\\ 0.4\\ 0.2\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ \end{array}$	
	MERGENCY MA				FLO	ODWAY D	ΑΤΑ		
	REY COUNT	•	ORNIA	FLOODING SOURCE: HARPER CREEK					

	LOCATION		FLOODWAT			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	A B C D E F	3,844 6,358 7,424 8,415 9,419 10,450	1,266 498 840 710 29 39	7,824 2,461 6,800 4,060 108 134	0.1 0.3 0.1 0.2 6.5 5.2	46.5 47.3 47.3 47.3 52.3	46.5 47.3 47.3 47.3 52.3	46.5 47.3 47.3 47.3 53.3	0.0 0.0 0.0 0.0 1.0	
	¹ Feet above conflue	ence with Reclar	nation Ditch							
TARI E 24	MONTER	MERGENCY MA EY COUNT	Y, CALIFO			FLO	ODWAY D			

	LOCAT	ION		FLOODWAY		1% ANNU	AL CHANCE FLO ELEVATION (FE		RFACE
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
	A B C D E F G H – J K L M N O P Q R % T U	200 2,840 7,680 10,400 13,101 13,219 15,760 46,145 48,395 52,015 54,105 57,665 60,610 60,850 62,270 66,110 68,240 71,020 73,820 76,380 79,237	1,535 4,570 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4,419 27,409 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9.9 1.6 2 2 2 2 2 2 2 2 2 2 2 2 2	$\begin{array}{c} 11.3\\ 15.0\\ 18.2\\ 20.5\\ 22.4\\ 22.4\\ 24.1\\ 50.4\\ 52.9\\ 56.9\\ 59.5\\ 62.4\\ 64.8\\ 64.8\\ 65.4\\ 68.1\\ 71.2\\ 77.1\\ 80.5\\ 82.6\\ 85.4\\ \end{array}$	$\begin{array}{c} 11.3\\ 15.0\\ 18.2\\ 20.5\\ 22.4\\ 22.4\\ 24.1\\ 50.4\\ 52.9\\ 56.9\\ 59.5\\ 62.4\\ 64.8\\ 64.8\\ 65.4\\ 68.1\\ 71.2\\ 77.1\\ 80.5\\ 82.6\\ 85.4\\ \end{array}$	11.3 15.0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.0 0.0 2 2 2 2 2 2 2 2 2 2 2 2 2
	¹ Feet above mout ² Floodway compu	ted without cons	ideration of lev						
TABLE		MERGENCY MA				FL	OODWAY	DATA	
E 24						FLOODING	G SOURCE: P	AJARO RIVE	8

LOCAT	ΓΙΟΝ		FLOODWAY		1% ANNUAL CH			ELEVATION
CROSS SECTION	DISTANCE ²	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	(FEET NA WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
A ¹ B ¹ C D E F G H I J K L M N O ¹ P ¹ Q ¹	* * 7,680 10,440 13,101 13,219 15,760 46,145 43,395 52,015 54,105 57,665 60,610 60,850 * * *	* 5,116 5,488 5,350 5,315 5,422 3,683 2,700 2,200 2,100 2,400 1,375 1,320 * *	(SQ. FEET) * 21,892 28,165 28,665 29,269 30,289 18,408 13,953 10,093 10,804 11,024 8,709 9,916 * * *	(FEET/SEC) * 2.0 1.5 1.5 1.5 1.4 2.3 3.1 4.3 4.0 3.9 4.9 4.9 4.3 * *	* 15.6 16.1 16.5 16.6 17.0 45.7 47.0 50.8 52.5 55.5 59.5 60.8 * *	* 15.6 16.1 16.5 16.6 17.0 45.7 47.0 50.8 52.5 55.5 59.5 60.8 * *	* 15.8 16.7 17.3 17.4 17.8 46.7 47.8 51.1 53.2 56.3 59.8 60.8 * *	* 0.2 0.6 0.8 0.8 0.8 1.0 0.8 0.3 0.7 0.8 0.3 0.7 0.8 0.3 0.0 * *
R ¹ S ¹ U ¹ *Data not available	* * *	* * *	* * * *	* * * *	* * *	* * * *	* * * *	* * * *
¹ Cross-section dat ² Feet above mouth	a shown on Pajar							
	MERGENCY MA	_				ODWAY D		
				FLOODING	SOURCE: PAJ	ARO RIVER- V OF LEVEE	VITHOUT CON	ISIDERATIO

	LOCAT	ION	FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)						
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE			
	A B C D E F G H I J K L M N O P Q	3,124 4,362 4,597 5,852 7,565 8,906 10,004 11,190 12,258 13,848 14,608 16,435 18,055 19,108 19,560 20,078 20,535	119 67 54 27 42 38 61 42 30 42 54 46 40 53 68 35 33	240 170 360 130 180 140 180 470 130 160 450 270 200 260 850 270 140	6.3 8.8 4.2 11.5 8.3 10.7 8.3 3.2 11.5 9.4 3.3 5.6 7.5 5.8 1.8 5.6 10.7	298.0 308.7 312.4 324.9 344.0 357.6 368.3 391.4 394.9 410.8 423.6 435.3 449.5 458.1 468.9 469.3 470.7	298.0 308.7 312.4 324.9 344.0 357.6 368.3 391.4 394.9 410.8 423.6 435.3 449.5 458.1 468.9 469.3 470.7	298.8 308.7 312.4 324.9 344.0 357.6 368.3 391.9 394.9 410.8 424.5 435.3 449.5 458.1 469.6 470.3 470.7	0.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0			
	¹ Feet above conflu	ence with Salinas	River									
TABLE						FLO	ODWAY D	ATA				
LE 24	MONTEREY COUNTY, CALIFORNIA AND INCORPORATED AREAS			JKNIA		FLOODING SOURCE: PINE CANYON CREEK						

L	DCATION		FLOODWAY		1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
CROSS SECTION		WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
A-Z	*	*	*	*	*	*	*	*	
AA AB AC AD AE AF AG AH AI AJ AK AL AM AN	$\begin{array}{c} 35,065\\ 36,655\\ 38,305\\ 40,510\\ 43,094\\ 45,749\\ 47,588\\ 52,228\\ 54,379\\ 56,144\\ 58,740\\ 61,443\\ 63,616\\ 66,676\end{array}$	53 537 45 458 216 4,250 550 49 30 64 76 111 132	310 1,988 260 278 1,486 635 21,018 587 379 337 516 498 838 1,298	$ \begin{array}{c} 1.5\\ 0.5\\ 4.0\\ 3.8\\ 1.7\\ 1.7\\ 0.1\\ 0.8\\ 1.2\\ 1.4\\ 0.9\\ 0.9\\ 0.6\\ 0.4 \end{array} $	$\begin{array}{c} 40.5\\ 40.8\\ 41.0\\ 42.5\\ 43.8\\ 45.8\\ 46.6\\ 46.6\\ 51.1\\ 52.4\\ 52.4\\ 52.4\\ 58.2\\ 58.2\\ 58.4\\ 59.5\end{array}$	$\begin{array}{c} 40.5 \\ 40.8 \\ 41.0 \\ 42.5 \\ 43.8 \\ 45.8 \\ 46.6 \\ 46.6 \\ 51.1 \\ 52.4 \\ 52.4 \\ 52.4 \\ 58.2 \\ 58.4 \\ 59.5 \end{array}$	40.5 40.8 41.0 42.5 43.8 45.8 46.6 46.6 51.6 52.7 52.7 58.5 58.7 59.8	$\begin{array}{c} 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.5\\ 0.3\\ 0.3\\ 0.3\\ 0.3\\ 0.3\\ 0.3\end{array}$	
*Data not ava	confluence with Tembla ilable AL EMERGENCY MA TEREY COUNT AND INCORPORA	NAGEMENT /			FLO FLOODING SO	ODWAY D			

LOCA	TION	FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
CROSS SECTION	DISTANCE1	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREA	
^	2,165	1,945	14,019	6.1	11.6	11.6	12.4	0.8	
A B	6,706	1,360	12,252	6.9	13.4	13.4	14.3	0.8	
C	12,144	2,059	17,192	4.9	17.5	17.5	18.5	1.0	
D	17,846	4,860	25,254	3.4	20.8	20.8	21.4	0.6	
E	20,381	5,522	26,305	3.2	22.7	22.7	23.1	0.4	
F	24,235	1,183	13,640	4.2	25.7	25.7	25.9	0.2	
G	27,086	3,263	33,500	2.5	26.9	26.9	27.3	0.4	
Ĥ	31,891	2,591	19,020	4.5	28.4	28.4	28.9	0.5	
I	40,762	2,350	26,873	3.2	34.4	34.4	35.4	1.0	
J	45,302	4,137	36,383	2.3	35.7	35.7	36.7	1.0	
K	51,163	3,215	26,146	3.3	39.0	39.0	39.6	0.6	
L	55,598	1,154	14,318	5.9	42.1	42.1	42.5	0.4	
М	59,981	2,106	21,044	4.0	45.1	45.1	45.8	0.7	
Ν	65,102	2,336	23,622	3.6	48.3	48.3	49.3	1.0	
0	71,438	1,562	20,171	4.2	51.9	51.9	52.8	0.9	
Р	75,715	345	7,380	11.5	54.0	54.0	55.0	1.0	
Q	81,206	905	18,824	4.5	60.1	60.1	60.7	0.6	
R	84,797	1208	20,997	4.1	60.8	60.8	61.5	0.7	
S	89,866	2,834	41,183	2.1	62.6	62.6	63.4	0.8	
Т	97,469	4,726	44,627	1.9	63.8	63.8	64.7	0.9	
U	355,080	1,385	12,457	6.9	287.2	287.2	287.7	0.5	
V	358,618	1,562	14,306	6.0	291.4	291.4	291.9	0.5	
W	360888	1,409	14,862	5.8	294.4	294.4	295.1	0.7	

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

TABLE

24

AND INCORPORATED AREAS

FLOODING SOURCE: SALINAS RIVER

	LOCAT	ΓΙΟΝ	FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	X Y Z AA AB AC AD AE	363,475 366,379 368,966 459,730 462,106 464,904 466,646 468,125	1,719 1,594 1,584 1,432 1,251 1,229 1,347 1,526	18,068 13,075 16,251 11,260 10,670 12,120 12,630 13,590	4.8 6.6 5.3 7.8 8.2 7.3 7.0 6.5	296.1 298.3 300.9 411.1 415.3 418.1 420.8 422.7	296.1 298.3 300.9 411.1 415.3 418.1 420.8 422.7	296.5 298.8 301.5 411.7 415.5 418.7 421.3 423.0	0.4 0.5 0.6 0.2 0.6 0.5 0.3	
	¹ Feet above conflu	ience with Pacific	Ocean along p	Stome baseline						
TABLE						FLO	ODWAY D	ΑΤΑ		
_E 24		REY COUNT				FLOODING	SOURCE: SAL	INAS RIVER		

	LOCAT	ION	FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	F	6,450	1,915	13,440	2.1	25.6	25.6	26.3	0.7	
	4									
	¹ Feet above conver	gence with Salin	as River							
TABLE						FLO	ODWAY D	ΑΤΑ		
_E 24		EY COUNT		JKNIA	FLC		CE: SALINAS		BANK	

	ION		FLOODWAY	1		FEET NA	ATER SURFACE	LEVAI
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREA
		10	50	40.0	007.0	007.0	007.0	
A	177	16	50	10.0	237.2	237.2	237.3	0.1
В	599	18	52	9.6	251.1	251.1	251.2	0.1
С	1,123	32	62	8.0	264.8	264.8	264.8	0.0
D	1,343	19	52	9.4	270.3	270.3	270.3	0.0
E F	1,519	63	326	1.5	283.7	283.7	283.7	0.0
	1,847	37	65	7.5	284.7	284.7	284.7	0.0
G	2,358	24	70	6.9	294.9	294.9	294.9	0.0
Н	2,886	45	245	1.9	312.5	312.5	312.6	0.1
I	3,398	26	56	8.4	320.1	320.1	320.1	0.0
J	3,710	36	368	1.3	334.2	334.2	334.4	0.2
K	4,121	13	45	10.4	337.2	337.2	337.2	0.0
L	4,670	18	80	6.2	346.8	346.8	346.8	0.0
Μ	5,121	41	64	7.2	358.0	358.0	358.0	0.0
Ν	5,570	40	63	7.2	370.5	370.5	370.5	0.0
0	5,881	54	133	2.2	383.4	383.4	383.4	0.0
Р	6,374	28	41	6.9	396.1	396.1	396.1	0.0
Q	7,027	22	71	4.4	416.9	416.9	417.7	0.8
R	7,238	25	81	3.5	421.3	421.3	422.2	0.9
S T	7,770	13	37	7.6	437.4	437.4	437.8	0.4
	8,462	20	36	7.6	448.7	448.7	448.7	0.0
U	9,062	14	32	8.6	463.5	463.5	460.5	0.0
V	9,649	11	28	9.1	487.0	487.0	487.0	0.0
W	10,309	15	30	8.1	507.3	507.3	507.3	0.0

TABLE 24

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODING SOURCE: SAN BENANCIO GULCH

LOCA	TION		FLOODWAY		1% ANNUAL CH	ANCE FLOOD W (FEET NA	ATER SURFACE	ELEVATION
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
X Y Z AA AB AC AD AF AG AH AJ AK AM AO	10,983 $11,482$ $11,801$ $12,368$ $12,898$ $13,595$ $14,023$ $14,390$ $14,921$ $15,432$ $15,639$ $16,083$ $16,682$ $17,688$ $17,954$ $18,125$ $18,374$ $18,830$	42 10 39 43 53 19 14 21 35 9 15 44 16 37 18 18 46 10	155 26 90 40 94 29 44 29 41 24 46 180 40 115 72 21 100 18	1.5 9.1 2.5 5.5 2.7 7.0 4.9 6.8 4.5 7.6 3.9 1.0 3.8 1.3 1.9 6.3 2.0 7.5	534.5 550.1 571.3 590.6 609.7 627.6 644.3 656.0 678.8 697.9 705.4 723.8 744.4 782.8 794.4 800.8 812.9 830.6	534.5 550.1 571.3 590.6 609.7 627.6 644.3 656.0 678.8 697.9 705.4 723.8 744.4 782.8 794.4 800.8 812.9 830.6	534.5 550.1 571.3 590.6 609.8 627.6 645.0 656.0 678.8 698.0 705.4 723.8 744.8 782.9 794.4 800.8 812.9 830.6	$\begin{array}{c} 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.1\\ 0.0\\ 0.7\\ 0.0\\ 0.0\\ 0.0\\ 0.1\\ 0.0\\ 0.0\\ 0.0\\ 0.4\\ 0.1\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0\\ 0.0$
¹ Feet above conv	ergence with El To	ro Creek	1	I			L	
	EMERGENCY MA				FLO	ODWAY D	ATA	
				F	LOODING SOU	RCE: SAN BE	NANCIO GUL	СН

	LOCAT	ION		FLOODWAY		1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATION (FEET NAVD88)				
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	A B C D E F G H I	2,688 4,157 4,585 5,215 6,697 7,754 8,539 10,489 11,839	340 340 250 769 364 295 478 1,127	1,800 2,590 2,920 1,630 6,030 1,890 3,270 3,440 8,060	10.4 7.2 6.4 11.4 3.1 9.9 5.7 5.4 2.3	300.6 305.7 309.7 310.0 314.7 319.2 326.3 328.4 329.5	300.6 305.7 309.7 310.0 314.7 319.2 326.3 328.4 329.5	300.6 309.7 310.0 315.0 319.2 326.3 328.4 329.7	0.0 0.3 0.0 0.0 0.3 0.0 0.0 0.0 0.2	
	¹ Feet above conve	rgence with Salin	as River							
TABLE						FLO	ODWAY D	ΑΤΑ		
_E 24		EY COUNT	-	JRNIA	l	FLOODING SOL	JRCE: SAN LO	DRENZO CREI	EK	

LOCA	ATION	FLOODWAY			1% ANNUAL CHANCE FLOOD WATER SURFACE ELEVATIO (FEET NAVD88)			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCRE/
•	00	4.4	70	0.0	10.0	10.0	47.0	0.0
A	90	14 78	70	9.8	16.2	16.2	17.0	0.8
В	1,241	-	183	3.8	19.0	19.0	20.0	1.0
С	2,427	112	152	4.5	24.6	24.6	25.0	0.4
	3,388	30	96	4.6	30.6	30.6	30.7	0.1
D E F	4,600	32	140	3.2	37.3	37.3	37.9	0.6
	5,406	83	351	1.3	42.4	42.4	43.4	1.0
G	6,693	36	141	3.1	49.4	49.4	49.8	0.4
н	7,762	60	81	5.4	56.2	56.2	56.3	0.1
I .	8,637	63	144	3.1	63.6	63.6	64.0	0.4
J	9,724	51	80	5.5	75.2	75.2	75.4	0.2
K	10,357	33	144	3.1	82.9	82.9	83.2	0.3
L	11,744	23	135	3.3	93.5	93.5	93.5	0.0
M	12,587	26	63	4.8	95.4	95.4	95.6	0.2
N	13,509	20	44	6.8	109.1	109.1	109.1	0.0
0	14,791	28	66	4.6	120.8	120.8	120.8	0.0
Р	15,818	31	117	1.3	125.1	125.1	126.1	1.0
Q	16,646	32	220	1.5	147.7	147.7	148.5	0.8
R S	17,616	18	103	1.2	155.8	155.8	156.7	0.9
S	18,475	17	23	5.2	165.6	165.6	165.9	0.3
Т	19,531	14	19	4.2	175.1	175.1	175.7	0.6
U	20,349	17	26	3.1	190.4	190.4	191.2	0.8
V	21,382	14	14	5.6	210.1	210.1	210.6	0.5
W	22,224	10	13	6.1	236.7	236.7	237.1	0.4

FEDERAL EMERGENCY MANAGEMENT AGENCY

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

TABLE 24

AND INCORPORATED AREAS

FLOODING SOURCE: SAN MIGUEL CANYON CREEK

	LOCAT	ION		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W (FEET NA		E ELEVATION	
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
	A B C D E F G H I J K L	25,323 27,214 28,719 30,795 32,660 34,410 36,440 38,071 40,527 42,524 44,933 47,013	61 94 69 20 29 36 38 29 120 87 72 52	146 116 112 61 94 94 109 103 358 91 159 126	3.2 4.0 4.2 7.6 4.9 4.9 4.3 4.5 1.3 5.1 2.9 3.7	48.7 59.3 67.0 75.4 83.7 89.7 102.9 114.6 128.2 137.4 148.9 162.6	48.7 59.3 67.0 75.4 83.7 89.7 102.9 114.6 128.2 137.4 148.9 162.6	49.7 59.7 68.0 75.5 83.7 89.7 102.9 115.4 128.6 137.9 149.4 163.4	$ \begin{array}{c} 1.0\\ 0.4\\ 1.0\\ 0.1\\ 0.0\\ 0.0\\ 0.0\\ 0.8\\ 0.4\\ 0.5\\ 0.5\\ 0.8\\ \end{array} $	
ΤA	FEDERAL E	MERGENCY MA	NAGEMENT	AGENCY		FLO	ODWAY D	ΔΤΔ		
TABLE 2	MONTER		Y, CALIFO	ORNIA		FLOODING SC			K	
24	AN	ID INCORPORA	TED AREAS			FLOODING SC	JURCE. SANT		N	

	LOCAT	ION		FLOODWAY		1% ANNUAL CH	ANCE FLOOD W (FEET NA	ATER SURFACE	ELEVATION
	CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
	A B C D E F G H I J K L	21,800 22,986 23,928 25,043 26,307 27,324 28,460 29,651 30,804 31,756 32,448 32,816	419 263 335 165 196 95 286 345 270 233 30 70 70	2,230 2,160 2,670 1,270 1,920 830 2,900 3,500 2,400 2,300 420 870	2.4 1.8 1.6 3.1 2.5 5.5 1.6 1.4 2.0 1.9 0.3 0.1	12.1 12.3 12.6 12.8 14.4 14.4 16.1 16.1 16.1 16.2 16.2	12.1 12.3 12.6 12.8 14.4 14.4 16.1 16.1 16.1 16.2 16.2	13.1 13.3 13.5 13.7 15.3 15.4 16.9 17.0 17.0 17.0 17.1 17.2 17.2	1.0 1.0 0.9 0.9 1.0 0.9 0.9 1.0 1.0 1.0
1	FEDERAL E	MERGENCY MA	NAGEMENT	AGENCY		EL O			
1	MONTER		Y, CALIFO	ORNIA					<u></u>
2	A		TED AREAS		F	LOODING SOU	RCE: IEMBL	ADERO SLOU	GH

LOCA	ΓΙΟΝ		FLOODWAY		1% ANNU	AL CHANCE FLO ELEVATION (FE	DOD WATER SU ET NAVD88)	RFACE
CROSS SECTION	DISTANCE1	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
٨	45	25	139	4.3	407.8	407.8	408.8	1.0
A B	258	25 32	139	4.3	407.8 411.7	407.8	408.8	0.0
C	659	36	127	4.0	411.7 415.2	411.7	411.7	0.0
D	1,417	30	127	4.6	415.2	425.3	425.3	0.0
E	2,399	47	137	4.0	434.3	434.3	434.3	0.0
F	3,463	12	45	10.6	449.7	449.7	449.7	0.0
G	3,551	31	139	3.5	452.4	452.4	452.4	0.0
н	3,670	33	83	5.8	453.2	453.2	453.2	0.0
	3,948	35	92	5.3	458.9	458.9	458.9	0.0
	4,350	32	103	4.7	468.7	468.7	468.7	0.0
ĸ	4,642	15	51	9.5	474.2	474.2	474.2	0.0
I	5,109	26	91	5.3	486.8	486.8	486.8	0.0
M	5,297	31	62	7.8	494.0	494.0	493.9	-0.1
N	5,514	29	104	4.7	499.0	499.0	499.0	0.0
0	5,913	24	56	8.7	505.5	505.5	505.5	0.0
P	6,026	65	142	3.4	509.8	509.8	509.8	0.0
Q	6,282	31	67	7.2	512.5	512.5	512.6	0.1
R	6,612	27	88	5.5	521.0	521.0	521.4	0.4
R S	7,440	45	104	4.7	537.2	537.2	537.5	0.3
Т	8,249	18	79	6.1	549.0	549.0	549.4	0.4
U	8,549	19	49	9.3	552.1	552.1	552.1	0.0
V	9,226	24	85	5.4	568.8	568.8	568.8	0.0
W	9,488	53	108	4.3	572.7	572.7	572.7	0.0
¹ Feet above conv	I ergence with Cal	era Creek						
FEDERAL E			AGENCY					
					FL	OODWAY	DATA	
MONTEREY COUNTY, CALIFORNIA				FLOODING SOURCE: WATSON CREEK				

CROSS		WIDTH	SECTION	MEAN		ELEVATION (FE WITHOUT	WITH	
SECTION	DISTANCE ¹	(FEET)	AREA (SQ. FEET)	VELOCITY (FEET/SEC)	REGULATORY	FLOODWAY	FLOODWAY	INCREASE
Х	10,027	32	62	7.4	586.3	586.3	586.4	0.1
Ŷ	10,157	28	88	5.2	591.0	591.0	591.0	0.0
Ż	10,553	19	70	4.6	596.2	596.2	596.2	0.0
ĀĀ	10,607	20	103	3.1	599.3	599.3	599.3	0.0
AB	10,850	88	165	2.0	600.0	600.0	600.0	0.0
AC	11,331	26	44	7.4	605.2	605.2	605.2	0.0
AD	11,928	16	49	6.7	616.0	616.0	616.0	0.0
AE	12,526	11	42	7.7	637.2	637.2	637.2	0.0
AF	12,710	19	39	8.3	650.0	650.0	650.0	0.0
AG	13,045	19	47	7.0	660.2	660.2	660.2	0.0
AH	13,146	43	221	1.5	669.4	669.4	669.5	0.1
AI	13,453	22	53	6.2	671.5	671.5	671.5	0.0
AJ	14,092	30	52	6.2	689.2	689.2	689.2	0.0
AK	14,350	11	50	6.5	700.2	700.2	700.3	0.1
AL	14,713	12	34	9.6	716.6	716.6	716.6	0.0
AM	14,900	23	77	4.2	721.9	721.9	722.0	0.1
AN	14,994	50	192	1.7	729.0	729.0	729.2	0.2
AO	15,320	23	69	4.7	730.1	730.1	730.1	0.0
AP	15,905	30	65	5.0	740.3	740.3	740.3	0.0
AQ	16,071	116	247	1.3	748.2	748.2	748.2	0.0
AR	16,315	25	57	5.8	748.5	748.5	748.5	0.0
AS	16,541	21	58	5.6	753.8	753.8	753.8	0.0
AT	17,393	16	48	6.7	772.2	772.2	772.2	0.0

FEDERAL EMERGENCY MANAGEMENT AGENCY

TABLE 24

FLOODWAY DATA

MONTEREY COUNTY, CALIFORNIA

AND INCORPORATED AREAS

FLOODING SOURCE: WATSON CREEK

LOCA	ΓΙΟΝ		FLOODWAY		1% ANNUAL CH	IANCE FLOOD W (FEET NA	ATER SURFACE	ELEVATION
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET/SEC)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
AU AV AW AX AZ BA BB BC BD BE BF BG	17,435 17,829 17,945 18,551 18,724 18,992 19,378 19,520 19,770 20,027 20,076 20,587 20,846	12 25 29 12 50 21 20 18 26 21 8 37 29	57 75 79 36 126 61 36 35 53 37 40 70 53	5.7 4.3 3.5 7.6 2.2 4.5 7.6 8.0 5.2 7.6 6.5 3.9 5.2	774.5 781.2 787.4 810.6 812.8 820.2 837.2 848.7 860.2 867.3 873.2 883.4 886.2	774.5 781.2 787.4 810.6 812.8 820.2 837.2 848.7 860.2 867.3 873.2 883.4 886.2	774.5 781.2 787.3 810.9 813.2 820.6 837.4 849.0 860.5 867.5 874.1 883.6 886.2	$\begin{array}{c} 0.0\\ 0.0\\ -0.1\\ 0.3\\ 0.4\\ 0.2\\ 0.3\\ 0.2\\ 0.9\\ 0.2\\ 0.0\\ \end{array}$
					FLO	ODWAY D	ΑΤΑ	
	REY COUNT	•	JKNIA		FLOODING S	SOURCE: WA	SON CREEK	

Table 25: Flood Hazard and Non-Encroachment Data for Selected Streams[Not Applicable to this Flood Risk Project]

6.4 Coastal Flood Hazard Mapping

Flood insurance zones and BFEs including the wave effects were identified on each transect based on the results from the onshore wave hazard analyses. Between transects, elevations were interpolated using topographic maps, land-use and land-cover data, and knowledge of coastal flood processes to determine the aerial extent of flooding. Sources for topographic data are shown in Table 23.

Zone VE is subdivided into elevation zones and BFEs are provided on the FIRM.

The limit of Zone VE shown on the FIRM is defined as the farthest inland extent of any of these criteria (determined for the 1% annual chance flood condition):

- The *primary frontal dune zone* is defined in 44 CFR Section 59.1 of the NFIP regulations. The primary frontal dune represents a continuous or nearly continuous mound or ridge of sand with relatively steep seaward and landward slopes that occur immediately landward and adjacent to the beach. The primary frontal dune zone is subject to erosion and overtopping from high tides and waves during major coastal storms. The inland limit of the primary frontal dune zone occurs at the point where there is a distinct change from a relatively steep slope to a relatively mild slope.
- The *wave runup zone* occurs where the (eroded) ground profile is 3.0 feet or more below the 2-percent wave runup elevation.
- The *wave overtopping splash zone* is the area landward of the crest of an overtopped barrier, in cases where the potential 2-percent wave runup exceeds the barrier crest elevation by 3.0 feet or more.
- The *breaking wave height zone* occurs where 3-foot or greater wave heights could occur (this is the area where the wave crest profile is 2.1 feet or more above the total stillwater elevation).
- The *high-velocity flow zone* is landward of the overtopping splash zone (or area on a sloping beach or other shore type), where the product of depth of flow times the flow velocity squared (hv²) is greater than or equal to 200 ft³/sec². This zone may only be used on the Pacific Coast.

The SFHA boundary indicates the limit of SFHAs shown on the FIRM as either "V" zones or "A" zones.

Table 26 indicates the coastal analyses used for floodplain mapping and the criteria used to determine the inland limit of the open-coast Zone VE and the SFHA boundary at each transect.

		Wave Runup Analysis	Wave Height Analysis		
Coastal Transect	Primary Frontal Dune (PFD) Identified	Zone Designation and BFE (ft NAVD88)	Zone Designation and BFE (ft NAVD88)	Zone VE Limit	SFHA Boundary
1	✓	VE 16	N/A	Runup	Runup
2	✓	VE 17	N/A	Runup	' Runup
3	✓	VE 20	N/A	Overtopping	Overtopping
4	✓	VE 15	N/A	Runup	Runup
5	✓	VE 24	N/A	Runup	Runup
6	✓	VE 16	N/A	Runup	Runup
7		VE 15	N/A	Runup	Runup
8		VE 14	N/A	Runup	Runup
9		VE 13	N/A	Runup	Runup
10	✓	VE 16	N/A	Runup	Runup
11	✓	VE 16	N/A	Runup	Runup
12	✓	VE 20	N/A	Runup	Runup
13	✓	VE 23	N/A	Overtopping	Overtopping
14	✓	VE 18	N/A	Runup	Runup
15		VE 21	N/A	Runup	Runup
16		VE 23	N/A	Runup	Runup
17		VE 23	N/A	Runup	Runup
18		VE 16	N/A	Runup	Runup
19		VE 15	N/A	Runup	Runup
20		VE 15	N/A	Runup	Runup
21		VE 14	N/A	Runup	Runup
22		VE 21	N/A	Runup	Runup
23	✓	VE 17	N/A	Runup	Runup
24		VE 17	N/A	Runup	Runup
25	✓	VE 13	N/A	Runup	Runup
26	✓	VE 13	N/A	Overtopping	Overtopping
27		VE 9	N/A	Runup	Runup
28		VE 9 – 10 VE 13	N/A	Runup	Runup
29		VE 12	N/A	Runup	Runup

Table 26: Summary of Coastal Transect Mapping Considerations

		Wave Runup Analysis	Wave Height Analysis		
Coastal Transect	Primary Frontal Dune (PFD) Identified	Zone Designation and BFE (ft NAVD88)	Zone Designation and BFE (ft NAVD88)	Zone VE Limit	SFHA Boundary
30		VE 18	N/A	Runup	Runup
31		VE 11	N/A	Runup	Runup
32		VE 13	N/A	Runup	Runup
33		VE 16	N/A	Runup	Runup
34		VE 32	N/A	Overtopping	Overtopping
35		VE 16	N/A	Overtopping	Overtopping
36		VE 27	N/A	Runup	Runup
37		VE 16	N/A	Runup	Runup
38		VE 16	N/A	Runup	Runup
39		VE 16	N/A	Runup	Runup
40		VE 17	N/A	Runup	Runup
41		VE 16	N/A	Runup	Runup
42		VE 25	N/A	Runup	Runup
43		VE 19	N/A	Runup	Runup
44		VE 18	N/A	Runup	Runup
45	~	VE 19	N/A	Runup	Runup
46		VE 22 VE 27	N/A	Overtopping	Overtopping
47		VE 26	N/A	Runup	Runup
48		VE 22	N/A	Runup	Runup
49		VE 25	N/A	Runup	Runup
50		VE 39	N/A	Runup	Runup
51		VE 27	N/A	Runup	Runup
52		VE 27 VE 33	N/A	Overtopping	Overtopping
53		VE 29	N/A	Runup	Runup
54		VE 15	N/A	Runup	Runup
55		VE 24	N/A	Runup	Runup
56		VE 16	N/A	Runup	Runup
57		VE 31	N/A	Overtopping	Overtopping

 Table 26: Summary of Coastal Transect Mapping Considerations, continued

		Wave Runup Analysis	Wave Height Analysis		
Coastal	Primary Frontal Dune (PFD)	Zone Designation and BFE	Zone Designation and BFE	Zone VE	SFHA
Transect	Identified	(ft NAVD88)	(ft NAVD88)	Limit	Boundary
58		VE 24	N/A	Overtopping	Overtopping
59		VE 18	N/A	Runup	Runup
60		VE 27	N/A	Runup	Runup
61		VE 20 VE 28	N/A	Overtopping	Overtopping
62		VE 17	N/A	Runup	Runup
63		VE 20	N/A	Overtopping	Overtopping
64		VE 19	N/A	Runup	Runup
65		VE 20	N/A	Runup	Runup
66		VE 36	N/A	Runup	Runup
67		VE 44	N/A	Runup	Runup
68		VE 41	N/A	Runup	Runup
69		VE 24	N/A	Runup	Runup
70		VE 31	N/A	Runup	Runup
71		VE 23	N/A	Runup	Runup
72		VE 28	N/A	Runup	Runup
73	\checkmark	VE 30	N/A	Runup	Runup
74		VE 27	N/A	Runup	Runup
75		VE 20	N/A	Runup	Runup
76		VE 31	N/A	Runup	Runup
77		VE 24	N/A	Runup	Runup
78		VE 31	N/A	Runup	Runup
79		VE 20	N/A	Runup	Runup
80		VE 28	N/A	Runup	Runup
81		VE 22	N/A	Runup	Runup
82		VE 37	N/A	Runup	Runup
83		VE 23	N/A	Runup	Runup
84		VE 20	N/A	Runup	Runup
85		VE 19	N/A	Runup	Runup
86		VE 18	N/A	Runup	Runup

Table 26: Summary of Coastal Transect Mapping Considerations, continued

		Wave Runup Analysis	Wave Height Analysis		
Coastal Transect	Primary Frontal Dune (PFD) Identified	Zone Designation and BFE (ft NAVD88)	Zone Designation and BFE (ft NAVD88)	Zone VE Limit	SFHA Boundary
87		VE 32	N/A	Runup	Runup
88		VE 20	N/A	Runup	Runup
89		VE 22	N/A	Runup	Runup
90		VE 24	N/A	Runup	Runup
91		VE 24	N/A	Runup	Runup
92		VE 15	N/A	Runup	Runup
93		VE 23	N/A	Runup	Runup

Table 26: Summary of Coastal Transect Mapping Considerations, continued

6.5 FIRM Revisions

This FIS Report and the FIRM are based on the most up-to-date information available to FEMA at the time of its publication; however, flood hazard conditions change over time. Communities or private parties may request flood map revisions at any time. Certain types of requests require submission of supporting data. FEMA may also initiate a revision. Revisions may take several forms, including Letters of Map Amendment (LOMAs), Letters of Map Revision Based on Fill (LOMR-Fs), Letters of Map Revision (LOMRs) (referred to collectively as Letters of Map Change (LOMCs)), Physical Map Revisions (PMRs), and FEMA-contracted restudies. These types of revisions are further described below. Some of these types of revisions do not result in the republishing of the FIS Report. To assure that any user is aware of all revisions, it is advisable to contact the community repository of flood-hazard data (shown in Table 31, "Map Repositories").

6.5.1 Letters of Map Amendment

A LOMA is an official revision by letter to an effective NFIP map. A LOMA results from an administrative process that involves the review of scientific or technical data submitted by the owner or lessee of property who believes the property has incorrectly been included in a designated SFHA. A LOMA amends the currently effective FEMA map and establishes that a specific property is not located in a SFHA. A LOMA cannot be issued for properties located on the PFD (primary frontal dune).

To obtain an application for a LOMA, visit www.fema.gov/floodplain-management/letter-mapamendment-loma and download the form "MT-1 Application Forms and Instructions for Conditional and Final Letters of Map Amendment and Letters of Map Revision Based on Fill". Visit the "Flood Map-Related Fees" section to determine the cost, if any, of applying for a LOMA.

FEMA offers a tutorial on how to apply for a LOMA. The LOMA Tutorial Series can be accessed

at www.fema.gov/online-tutorials.

For more information about how to apply for a LOMA, call the FEMA Map Information eXchange; toll free, at 1-877-FEMA MAP (1-877-336-2627).

6.5.2 Letters of Map Revision Based on Fill

A LOMR-F is an official revision by letter to an effective NFIP map. A LOMR-F states FEMA's determination concerning whether a structure or parcel has been elevated on fill above the base flood elevation and is, therefore, excluded from the SFHA.

Information about obtaining an application for a LOMR-F can be obtained in the same manner as that for a LOMA, by visiting www.fema.gov/floodplain-management/letter-map-amendment-loma for the "MT-1 Application Forms and Instructions for Conditional and Final Letters of Map Amendment and Letters of Map Revision Based on Fill" or by calling the FEMA Map Information eXchange, toll free, at 1-877-FEMA MAP (1-877-336-2627). Fees for applying for a LOMR-F, if any, are listed in the "Flood Map-Related Fees" section.

A tutorial for LOMR-F is available at www.fema.gov/online-tutorials.

6.5.3 Letters of Map Revision

A LOMR is an official revision to the currently effective FEMA map. It is used to change flood zones, floodplain and floodway delineations, flood elevations and planimetric features. All requests for LOMRs should be made to FEMA through the chief executive officer of the community, since it is the community that must adopt any changes and revisions to the map. If the request for a LOMR is not submitted through the chief executive officer of the community, evidence must be submitted that the community has been notified of the request.

To obtain an application for a LOMR, visit www.fema.gov/national-flood-insurance-programflood-hazard-mapping/mt-2-application-forms-and-instructions and download the form "MT-2 Application Forms and Instructions for Conditional Letters of Map Revision and Letters of Map Revision". Visit the "Flood Map-Related Fees" section to determine the cost of applying for a LOMR. For more information about how to apply for a LOMR, call the FEMA Map Information eXchange; toll free, at 1-877-FEMA MAP (1-877-336-2627) to speak to a Map Specialist.

Previously issued mappable LOMCs (including LOMRs) that have been incorporated into the Monterey County FIRM are listed in Table 27.

Case Number	Effective Date	Flooding Source	FIRM Panel(s)
14-09-3525P	03-23-2015	Unnamed Ponding Area	06053C0195H

Table 27: Incorporated Letters of Map Change

6.5.4 Physical Map Revisions

PMRs are an official republication of a community's NFIP map to effect changes to base flood elevations, floodplain boundary delineations, regulatory floodways and planimetric features. These changes typically occur as a result of structural works or improvements, annexations

resulting in additional flood hazard areas or correction to base flood elevations or SFHAs.

The community's chief executive officer must submit scientific and technical data to FEMA to support the request for a PMR. The data will be analyzed and the map will be revised if warranted. The community is provided with copies of the revised information and is afforded a review period. When the base flood elevations are changed, a 90-day appeal period is provided. A 6-month adoption period for formal approval of the revised map(s) is also provided.

For more information about the PMR process, please visit www.fema.gov and visit the "Flood Map Revision Processes" section.

6.5.5 Contracted Restudies

The NFIP provides for a periodic review and restudy of flood hazards within a given community. FEMA accomplishes this through a national watershed-based mapping needs assessment strategy, known as the Coordinated Needs Management Strategy (CNMS). The CNMS is used by FEMA to assign priorities and allocate funding for new flood hazard analyses used to update the FIS Report and FIRM. The goal of CNMS is to define the validity of the engineering study data within a mapped inventory. The CNMS is used to track the assessment process, document engineering gaps and their resolution, and aid in prioritization for using flood risk as a key factor for areas identified for flood map updates. Visit www.fema.gov to learn more about the CNMS or contact the FEMA Regional Office listed in Section 8 of this FIS Report.

6.5.6 Community Map History

The current FIRM presents flooding information for the entire geographic area of Monterey County. Previously, separate FIRMs, Flood Hazard Boundary Maps (FHBMs) and/or Flood Boundary and Floodway Maps (FBFMs) may have been prepared for the incorporated communities and the unincorporated areas in the county that had identified SFHAs. Current and historical data relating to the maps prepared for the project area are presented in Table 28, "Community Map History." A description of each of the column headings and the source of the date is also listed below.

- *Community Name* includes communities falling within the geographic area shown on the FIRM, including those that fall on the boundary line, nonparticipating communities, and communities with maps that have been rescinded. Communities with No Special Flood Hazards are indicated by a footnote. If all maps (FHBM, FBFM, and FIRM) were rescinded for a community, it is not listed in this table unless SFHAs have been identified in this community.
- *Initial Identification Date (First NFIP Map Published)* is the date of the first NFIP map that identified flood hazards in the community. If the FHBM has been converted to a FIRM, the initial FHBM date is shown. If the community has never been mapped, the upcoming effective date or "pending" (for Preliminary FIS Reports) is shown. If the community is listed in Table 28 but not identified on the map, the community is treated as if it were unmapped.
- *Initial FHBM Effective Date* is the effective date of the first Flood Hazard Boundary Map (FHBM). This date may be the same date as the Initial NFIP Map Date.
- *FHBM Revision Date(s)* is the date(s) that the FHBM was revised, if applicable.

- *Initial FIRM Effective Date* is the date of the first effective FIRM for the community. This is the first effective date that is shown on the FIRM panel.
- *FIRM Revision Date(s)* is the date(s) the FIRM was revised, if applicable. This is the revised date that is shown on the FIRM panel, if applicable. As countywide studies are completed or revised, each community listed should have its FIRM dates updated accordingly to reflect the date of the countywide study. Once the FIRMs exist in countywide format, as Physical Map Revisions (PMR) of FIRM panels within the county are completed, the FIRM Revision Dates in the table for each community affected by the PMR are updated with the date of the PMR, even if the PMR did not revise all the panels within that community.

The initial effective date for the Monterey County FIRMs in countywide format was 04/02/2009.

Community Name	Initial Identification Date	Initial FHBM Effective Date	FHBM Revision Date(s)	Initial FIRM Effective Date	FIRM Revision Date(s)
Carmel-by-the-Sea, City of	04/02/2009	N/A	N/A	04/02/2009	06/21/2017 04/02/2009
Del Rey Oaks, City of	05/14/1976	05/14/1976	N/A	11/04/1981	06/21/2017 04/02/2009
Gonzales, City of	05/24/1974	05/24/1974	11/28/1975	11/18/1981	04/02/2009
Greenfield, City of	04/02/2009	N/A	None	04/02/2009	04/02/2009
King City, City of	12/27/1974	12/27/1974	05/23/1978	10/15/1981	04/02/2009
Marina, City of	02/17/1988	N/A	N/A	02/17/1988	06/21/2017 04/02/2009 02/03/1993
Monterey, City of	10/18/1974	10/18/1974	02/11/1977	07/02/1981	06/21/2017 04/02/2009 06/17/1986
Monterey County Unincorporated Areas	02/21/1978	02/21/1978	11/17/1981 4/24/1979	01/30/1984	06/21/2017 04/02/2009 09/27/1991 08/05/1986
Pacific Grove, City of	04/02/2009	N/A	N/A	04/02/2009	06/21/2017 04/02/2009
Salinas, City of	03/15/1974	03/15/1974	06/06/1978 10/29/1976 12/06/1974	11/04/1981	04/02/2009
Sand City, City of	12/03/1976	12/03/1976	N/A	06/03/1986	06/21/2017 04/02/2009

 Table 28: Community Map History

Community Name	Initial Identification Date	Initial FHBM Effective Date	FHBM Revision Date(s)	Initial FIRM Effective Date	FIRM Revision Date(s)
Seaside, City of	06/07/1974	06/07/1974	12/19/1975	07/02/1981	06/21/2017 04/02/2009 08/19/1986
Soledad, City of	07/18/1983	N/A	N/A	07/18/1983	04/02/2009 05/15/1984

Table 28: Community Map History, continued

SECTION 7.0 – CONTRACTED STUDIES AND COMMUNITY COORDINATION

7.1 Contracted Studies

Table 29 provides a summary of the contracted studies, by flooding source, that are included in this FIS Report.

Flooding Source	FIS Report Dated	Contractor	Number	Work Completed Date	Affected Communities
*	09/27/1991	George S. Nolte and Associates	H-4722	*	Monterey County (Unincorporated Areas)
*	*	Schaaf & Wheeler	EMF-87-C- 0282	November 1989	*
Carmel River	*	Northwest Hydraulic Consultants	EMF-2001- C0-0015	March 2006	Monterey, City of
Calera, El Toro and Watson Creeks	*	Northwest Hydraulic Consultants	EMF-2001- C0-0015	April 2005	Monterey, City of
Harper Creek and San Benancio Gulch	*	Phillip Williams& Associates, Ltd.	EMF-2003- C0-0043	May 2005	Monterey, City of
Pacific Ocean	June 21, 2017	BakerAECOM	HSFEHQ-09- D-0368	February 2015	Monterey County, Unincorporated Areas

Table 29: Summary of Contracted Studies Included in this FIS Report

Flooding Source	FIS Report Dated	Contractor	Number	Work Completed Date	Affected Communities
Pajaro River and Thomasello Creek	*	Brown and Caldwell	H-4722	December 1982	Monterey County, Unincorporated Areas
Sources near Del Rey Oaks, City of	05/04/1981	George S. Nolte and Associates	H-4722	July 1980	Del Rey Oaks, City of
Sources near Gonzales, City of	05/18/1981	George S. Nolte and Associates	H-4722	August 1980	Gonzales, City of
Sources near King City, City of	04/15/1981	George S. Nolte and Associates	H-4722	August 1980	King City, City of
Sources near Marina, City of	02/03/1981	George S. Nolte and Associates	H-4722	Unknown	Marina, City of
Sources near Marina, City of	*	Ensign & Buckley, Consulting Engineers	EMW-90-6- 3133	December 1991	Marina, City of
Sources near Monterey, City of	06/17/1986	George S. Nolte and Associates	H-4722	December 1979	Monterey, City of
Sources near Salinas, City of	*	George S. Nolte and Associates	H-4722	July 1980	Salinas, City of

Table 29: Summary of Contracted Studies Included in this FIS Report, continued

* Data Not Provided

7.2 Community Meetings

The dates of the community meetings held for this Flood Risk Project and any previous Flood Risk Projects are shown in Table 30. These meetings may have previously been referred to by a variety of names (Community Coordination Officer (CCO), Scoping, Discovery, etc.), but all meetings represent opportunities for FEMA, community officials, study contractors, and other invited guests to discuss the planning for and results of the project.

Table 30: Community Meetings

Community	FIS Report Dated	Date of Meeting	Meeting Type	Attended By
Carmel-by-the-Sea,	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
City of	00/21/2017	12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Del Rey Oaks, City of	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
	06/21/2017	12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Gonzales, City of	05/18/1981	April 1978	Initial CCO	FEMA, this community and the study contractor
Gonzales, City of		07/11/1980	Final CCO	FEMA, this community and the study contractor
King City, City of	04/15/1981	April 1978	Initial CCO	FEMA, this community and the study contractor
King City, City of		07/11/1980	Final CCO	FEMA, this community and the study contractor
Marina, City of	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Marina, City O		12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Montoroy, City of	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Monterey, City of		12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside

Community	FIS Report Dated	Date of Meeting	Meeting Type	Attended By
Monterey County,	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Unincorporated Areas	00/21/2017	12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Pacific Grove City of	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Pacific Grove, City of	06/21/2017	12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Solince, City of	05/04/1981	April 1978	Initial CCO	FEMA, this community and the study contractor
Salinas, City of		07/08/1980	Final CCO	FEMA, this community and the study contractor
Sand City, City of	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Sand City, City of		12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
Seaside, City of	06/21/2017	04/07/2011	Initial CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside
		12/08/2015	Final CCO	FEMA, BakerAECOM, and representatives of Monterey County and the Cities of Carmel-by-the-Sea, Marina, Monterey, Pacific Grove, Sand City, and Seaside

Table 30: Community Meetings, continued

*Data not available

SECTION 8.0 – ADDITIONAL INFORMATION

Information concerning the pertinent data used in the preparation of this FIS Report can be obtained by submitting an order with any required payment to the FEMA Engineering Library. For more information on this process, see www.fema.gov.

Table 31 is a list of the locations where FIRMs for Monterey County can be viewed. Please note that the maps at these locations are for reference only and are not for distribution. Also, please note that only the maps for the community listed in the table are available at that particular repository. A user may need to visit another repository to view maps from an adjacent community.

Community	Address	City	State	Zip Code
Carmel-by-the-Sea, City of	City Hall Monte Verde Street	Carmel-by-the- Sea	CA	93921
Del Rey Oaks, City of	Planning Department 650 Canyon Del Rey Road	Del Rey Oaks	CA	93940
Gonzales, City of	Public Works Department 147 4 th Street	Gonzales	CA	93926
Greenfield, City of	Public Works Department 920 Walnut Avenue	Greenfield	CA	93927
King City, City of	City Hall 212 Vanderhurst Avenue	King City	CA	93930
Marina, City of	Public Works Department 209 Cypress Avenue	Marina	CA	93933
Monterey, City of	Plans and Public Works Department 526 Pierce Street	Monterey	CA	93940
Monterey County, Unincorporated Areas	Monterey County Water Resources Agency 893 Blanco Circle	Salinas	CA	93901
Pacific Grove, City of	City Hall 300 Forest Avenue	Pacific Grove	CA	93950
Salinas, City of	Public Works Department 168 West Alisal Street	Salinas	CA	93901
Sand City, City of	Planning Department One Sylvan Park	Sand City	CA	93955
Seaside, City of	Public Works Department 440 Harcourt Avenue	Seaside	CA	93955
Soledad, City of	Public Works Department 248 Main Street	Soledad	CA	93960

Table 31: Map Repositories

The National Flood Hazard Layer (NFHL) dataset is a compilation of effective FIRM databases and LOMCs. Together they create a GIS data layer for a State or Territory. The NFHL is updated as studies become effective and extracts are made available to the public monthly. NFHL data can be viewed or ordered from the website shown in Table 32.

Table 32 contains useful contact information regarding the FIS Report, the FIRM, and other relevant flood hazard and GIS data. In addition, information about the State NFIP Coordinator and GIS Coordinator is shown in this table. At the request of FEMA, each Governor has designated an agency of State or territorial government to coordinate that State's or territory's NFIP activities. These agencies often assist communities in developing and adopting necessary floodplain management measures. State GIS Coordinators are knowledgeable about the availability and location of State and local GIS data in their state.

FEMA and the NFIP					
FEMA and FEMA Engineering Library website	www.fema.gov/national-flood-insurance-program-flood- hazard-mapping/engineering-library				
NFIP website	www.fema.gov/national-flood-insurance-program				
NFHL Dataset	msc.fema.gov				
FEMA Region IX	FEMA Region IX, 1111 Broadway, Suite 1200, Oakland, CA 94607 (510) 627-7029				
	Other Federal Agencies				
USGS website	www.usgs.gov				
Hydraulic Engineering Center website	www.hec.usace.army.mil				
S	tate Agencies and Organizations				
State NFIP Coordinator	James Eto California Dept. of Water 1416 9 th Street, Room 1601 Sacramento, CA 95814 916-574-1409 jeto@water.ca.gov				
State GIS Coordinator	David Harris Agency Information Officer California Resources Agency 1416 Ninth Street, Room 1311 Sacramento, CA 95814 916-445-5088 david.harris@resources.ca.gov				

Table 32: Additional Information

SECTION 9.0 – BIBLIOGRAPHY AND REFERENCES

Table 33 includes sources used in the preparation of and cited in this FIS Report as well as additional studies that have been conducted in the study area.

Citation in this FIS	Publisher/ Issuer	<i>Publication Title,</i> "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
Aero-Geodetic Corporation, 1979	City of Marina	City of Marina Aerial Topographic Maps, Scale 1:2,400, Contour Interval 2 feet	Aero-Geodetic Corporation	City of Marina, California	November 26, 1979	
BakerAECOM 2012	BakerAECOM	Topographic Data Development Monterey County, California			March 30, 2012	
City of Monterey, 1975	City of Monterey	Topographic Maps, Scale 1:1,200, Contour Interval 2 feet.		Monterey County California	May 1975	
Divoky, D., 2007		Supplementary WHAFIS Documentation: WHAFIS 4.0, A Revision of FEMA's WHAFIS 3.0 Program	Divoky, D.	Atlanta, Georgia	2007	
FEMA, 2005	Federal Emergency Management Agency	Final Draft Guidelines for Coastal Flood Hazard Analysis and Mapping for the Pacific Coast of the United States			2005	
FEMA, 1988	Federal Emergency Management Agency	Wave Height Analysis for Flood Insurance Studies (Technical Documentation for WHAFIS Program Version 3.0)		Washington, D.C.	1988	

Table 33: Bibliography and References

Citation in this FIS	Publisher/ Issuer	<i>Publication Title,</i> "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
FEMA, 1986	Federal Emergency Management Agency, Federal Insurance Administration	Flood Insurance Study, Monterey County, California (Unincorporated Areas)		Washington, D.C.	August 5, 1986	State University http://university.lib.state.edu
FEMA, 1981	Federal Emergency Management Agency	Flood Insurance Rate Map, City of Seaside, Monterey County, California		Washington, D.C.	1981	FEMA Flood Map Service Center <u>http://msc.fema.gov</u>
Harl Pugh & Associates, 1978	Harl Pugh & Associates	Aerial Photogrammetry of Monterey County, California, Scales 1:6,000 and 1:12,000		Monterey County, California	September 1978	
MCFCWCD, 1979	Monterey County Flood Control and Water Conservation District	Monterey County Drainage Study- Carr Lake and Reclamation Ditch. Prepared for the Monterey County Master Drainage Plan		Monterey County, California	January 1979	
Monterey County Flood Control and Water Conservation District, 1977	Monterey County Flood Control and Water Conservation District	Monterey County Master Drainage Plan Maps for Canyon Del Rey Watershed, Scale 1:4,800, Contour Interval 10 feet		Monterey County, California	1977	
Ott Water Engineers, Inc. 1983	Ott Water Engineers, Inc,	Aerial Photography, Scale 1:4,800, Contour Interval 4 feet	Ott Water Engineers, Inc		1983	

Citation in this FIS	Publisher/ Issuer	<i>Publication Title,</i> "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
Ott Water Engineers, Inc. 1975	Ott Water Engineers, Inc,	Aerial Photography, Scale 1:1,200, Contour Interval 2 feet	Ott Water Engineers, Inc		1975	
Spink Corporation, 1978	Spink Corporation	Aerial Photography, Scale 1:4,800	Spink Corporation	Sacramento, California	1978	
USACE, 1984	U.S. Army Corps of Engineers, Hydrologic Engineering Center	Hec-2 Water-Surface Profiles, Users Manual	U.S. Army Corps of Engineers		May 1984	
USACE, 1906- 1956	U.S. Army Corps of Engineers, San Francisco District	Isohyetal Map, 50-year Normal Annual Precipitation, 1906-1956	U.S. Army Corps of Engineers		1956	
USACE, April 1974	U.S. Army Corps of Engineers, San Francisco District	Hydrology Engineering Office Report, Carmel River Basin		San Francisco, California	April 1974	
USACE, October 1973	U.S. Army Corps of Engineers, Hydrologic Engineering Center	Generalized Computer Program HEC-2, Water- Surface Profiles			October 1973	

Citation in this FIS	Publisher/ Issuer	<i>Publication Title,</i> "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
USACE, June 1973	U.S. Army Corps of Engineers	Interim Report for Flood Control and Allied Purposes, Pajaro River Basin, California		San Francisco, California	June 1973	
USACE, January 1973	U.S. Army Corps of Engineers, Hydrologic Engineering Center	HEC-1 Flood Hydrograph Package		Davis, California	January 1973	
USACE, 1973	U.S. Army Corps of Engineers, Hydrologic Engineering Center	HEC-1 Flood Hydrograph Package, User's Manual		Davis, California	January 1973	
USACE, 1971	U.S. Army Corps of Engineers	"Pajaro River Topographic Maps," Scale1:1,200, Contour Interval 2 feet			1971	
USACE, 1970	U.S. Army Corps of Engineers, San Francisco District	<i>"A Report on January and February 1969 Floods, Central Coast Streams, California," Vol. II, Appendix B</i>		San Francisco, California	September 1970	
U.S. Department of Agriculture, 1972	U.S. Department of Agriculture, Soil Conservation Service	<i>"Hydrology," National Engineering Handbook, Section 4</i>			August 1972	

Citation in this FIS	Publisher/ Issuer	<i>Publication Title,</i> "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
U.S. Department of the Interior, 1978	U.S. Department of the Interior, Geological Survey	Unpublished Records		Washington, D.C.	October 25, 1978	
U.S. Department of the Interior, 1948	U.S. Department of the Interior, Geological Survey	7.5-Minute series topographic Maps, Scale 1:24,000, Contour Interval 10 feet. Carmel Valley, California, 1948 Photorevised 1979; Chualar, California		Washington, D.C.	Various	
U.S. Water Resources Council, 1977	U.S. Water Resources Council, Hydrology Committee	<i>"Guidelines for Determining Flood Flow Frequency" Bulletin 17A</i>			1977	
U.S. Water Resources Council, 1976	U.S. Water Resources Council, Hydrology Committee	"Guidelines for Determining Flood Flow Frequency" Bulletin 17			March 1976	
Van der Meer, J.W., 2002		Wave Run-up and Overtopping at Dikes. Technical Report, Technical Advisory Committee for Water Retaining Structures (TAW)		Delft, the Netherlands	2002	







































































